

THE AMMUNITION COUNTS

CENTREFIRE RIFLE CARTRIDGES

Outlook

It is the passion for our profession, hunting and sport shooting that drives us at RWS. The steady determination to never be satisfied with what we have already achieved. Our goal: To become better in everything we do. Class leader. To consistently offer impeccable quality and reliability, while developing a sense for emerging trends and defining fresh targets. Modern and unfailingly innovative. For you. For us. For hunters and sport shooters. So that we can all continue to find fulfilment in our hobby, in our calling, in our sport. Today, tomorrow and beyond.

Get an overview of our variety of products and let yourself be inspired - our brochure provides you with comprehensive information on all rifle cartridges, loads and bullets from our company, clarifies what they have to offer and which product line is the perfect choice for you and your specific requirements. Your passion is our incentive. We are only happy, when you are happy.

The ammunition counts – choose RWS.

Waidmannsheil, your RWS Team

Our Brands 6 / 7
Worth Knowing 8 / 9
Innovations 8 / 9
New Packaging 14 / 15
Hunting Trends 12 / 13



FULL PERFORMANCE FROM SHORT BARRELS
RWS SHORT RIFLE 14 - 17




LEAD-FREE 18 / 19

TRAVELING WITH THE LONG RANGE SPECIALISTS
Long Range Performance 20 / 21
Long Range Expertise 22 / 23



NEW: DRIVEN HUNT 24 / 25
DRIVE-HUNTING 26 - 29
Cineshot 30 / 31



RWS BULLETS 32 - 47
Driven Hunt 34 / 35
Speed Tip Professional 36 / 37
HIT 38 / 39
Evolution Green 40 / 41
Evolution 42 / 43
ID Classic 44
UNI Classic 45
Doppelkern 46
Match Jagd 47
Kegelspitz 48
Teilmantel 49
Target Elite Plus and Scorion 50 - 53
BALLISTICS / BALLISTIC DATA 54 - 67
Calibre Comparison 68 / 69

Hunting Stories 70 / 71
Reloading 72 - 75
Quality Bullets 76 / 77
Contact / Additional Information 78 / 79



RWS THEN & NOW

RWS – WHO IS BEHIND IT AND WHAT IS IN IT.

The RWS brand has been connecting hunters and sport shooters for generations. Its origins date back to 1856, when Heinrich Utendoerffer began producing ignition charges in his Nuremberg laboratory. Three decades later, his laboratory was taken over by the „Rheinisch Westfälische Sprengstoff-Actien-Gesellschaft“ (RWS), founded in Cologne in 1886, which explains the origin of the abbreviation RWS. Even after the merger with the Dynamit Actien-Gesellschaft (DAG), formerly Alfred Nobel & Co., RWS continued to exist as an independent brand, which to this day has prevailed and established itself worldwide with a wide range of reliable precision product of highest quality. RWS expertise and corresponding portfolio ranges from rifle cartridges and rimfire ammunition to air rifle pellets and components such as bullets, cases and primers.

Those who rely on ammunition solutions from RWS benefit from 140 years of experience and knowledge of the entire RWS team: all of them specialists and often enthusiastic hunters or successful sport shooters themselves, with a keen sense for first-class materials, the latest trends and, consequently, continuous innovation.

That is why many generations of hunters and sport shooters trust in RWS quality. They all share the knowledge that ammunition from RWS meets the highest standards and guarantees the perfect shot in every situation, whenever it matters.

We don't want to travel through time with you and just revel in the past. What we would like is to transform the best of the Old into an even better New and to pass the remarkable values of RWS on to a new hunting generation.



DID YOU KNOW THAT ...

... all RWS bullets are sealed with up to five different specialized coatings?

... seven final proof firings are required before an ammunition lot can be approved for release?

... although it should go without saying, powder additives designed to reduce barrel fouling are standard in all loadings?

... bullet trajectories are measured by radar?

... RWS tests ammunition by using their collection of over 2400 representative firearms?





... the corrosion-free and decay-resistant RWS SINOXID® priming compound was developed over 90 years ago and has been proving itself ever since?

... thanks to RWS ammunition, countless sport shooters have risen to the top and gone on to become Olympic, European and World Champions?

... at RWS, over 100 manufacturing operations are required to complete each rifle cartridge – with up to 26 technical and manual inspections in between?

... due to their high quality, fired RWS cases are highly esteemed by handloaders?

... the 50-hectare factory grounds are home to a 500-meter indoor range with 35 firing lanes?



More than 100 bullets and 40 calibres are loaded by RWS. In order to manufacture this wide variety of bullets while maintaining outstanding quality, RWS has a highly complex manufacturing facility.

INNOVATION-FRIENDLY

Setting sights on the future

Progress is unstoppable – and hunting is also subject to constant change. This requires a keen eye and an openness to new things. RWS faces the future with passion, courage and innovation. Each individual cartridge goes through a long development process, quality controls, and manufacturing steps until it is fully ready for the market. Precision does not suffer compromises.


A passionate and always curious team of hunters and sport shooters, product developers and engineers works day by day on the ideal ballistics for the perfect shot. The goal is to offer innovative and sustainable product solutions that tap into the full potential of RWS. A prime example of this is the SHORT RIFLE Line. The cartridges are specially optimised for use with short barrels thanks to the use of a specially coordinated load with aggressively burning powder, adapted bullet weight and powerful primer caps. With the bullets DRIVEN HUNT, HIT and EVOLUTION GREEN in SHORT RIFLE loads, RWS even goes one step further, offering lead-free solutions that more than meets the requirements of modern and sustainable hunting. You can read more about the short rifle ammunition on pages 14-17.

The RWS range includes more than 115 bullets and 40 calibres. Highly complex production facilities enable RWS to manufacture this range of projectiles in outstanding quality.






SPEED TIP PROFESSIONAL
SHORT RIFLE
HUNTING CARTRIDGE · PERFORMANCE LINE
EVOLUTION GREEN
HUNTING CARTRIDGE
TARGET ELITE PLUS
MATCH CARTRIDGE
.308 Win. | CINESHOT
TEILMANTEL SPITZ
SOFTPOINT POINTED
DEMI BLINDÉE TÊTE POINTUE
SINCE 1886



LEARN MORE

New Cartridge Packaging

Thanks to the design of the RWS cartridge packaging, you can keep track of things even better. The most important information such as calibre and bullet symbol are now also noted on the side – so even if the box is lying on its side in the safe, both are immediately visible. Furthermore the colour coding on the label also provides good orientation for defined calibre groups.The elegantly designed hunting line with the wooden pattern – as a continuous beam – signals: for hunters. The viewing window in the RWS hunting ammunition packs also offers an exclusive preview of the brand‘s numerous bullets.

The cartridges themselves are in inlays that can be separated into practical packs of 5.

Colour markings on product pack: The packaging with the continuous yellow bar contains ammunition for sport shooters, while the one marked with an orange bar contains training ammunition.



Key facts at a glance: *Calibre, ballistic data and bullet weight are integrated into the label on the back.*



Additional colour marking of packaging label:
These colours offer a quick point of orientation in retail and signal the product is part of clearly defined groups of calibres.

RWS – AT THE CUTTING EDGE OF TECHNOLOGY

whenever innovation counts

Sound suppressors or silencers, thermal imaging and night vision technology have become indispensable in modern hunting in many countries. The latter in particular has proven to be extremely valuable and useful, not only in terms of hunting safety and animal welfare, but also in enabling hunters to experience a new dimension of hunting. The RWS brand recognised this very early on and has always developed the perfect solution with a range of extremely innovative products tailored to the respective trends, challenges or opportunities.

Along with the increased demand for sound suppressors, hunting weapons with short barrels are increasingly being used. What many people do not know is that standard ammunition is designed for standard barrels – if it is now fired from short-barrelled rifles, there is a loss of performance. With its SHORT RIFLE product solutions, RWS closes this gap completely. Thanks to its specifically tailored loading, the cartridge achieves full velocity and energy even from short barrels.

The increasing popularity of driven hunts also offers a wealth of opportunities and possibilities for innovations of all kinds – from ammunition to electronics. With its DRIVEN HUNT bullet, RWS also offers a tailor-made solution with guaranteed success. Lead-free. Speaking of: Another trending topic is game meat from local hunting grounds with very specific regulations and laws, which is increasingly bringing the use of lead-free and game-friendly rifle bullets into focus. RWS also meets this need with numerous innovative product lines such as the HIT bullet.

The brand is even responding to the global trend towards longer distance shots with a range of products tailored to this need – in both the hunting and shooting sectors. For hunting, the EVOLUTION GREEN and SPEED TIP PROFESSIONAL offer a choice of lead-free and lead bullets respectively, while sport shooters can rely on the outstanding precision of TARGET ELITE PLUS products with their SCORION bullets in hand-loading quality.



OUTLOOK

”For several years now, Denmark, parts of Germany, Japan, and elsewhere have forbidden the use of lead-core rifle bullets. These legal restrictions have been hotly debated and remain a source of agitation and uncertainty amongst hunters today. As market leader, we at RWS must set the bar higher in order to meet the higher expectations of our customers. The result has been worth it: With the DRIVEN HUNT, HIT and EVOLUTION GREEN, we offer three first-class lead-free bullets“

#lovemyleadfree



LEAD-FREE SOLUTION FOR ALL APPLICATIONS

Smart alternatives without limitations and 100% lead-free: EVOLUTION GREEN, HIT and DRIVEN HUNT rounds.

More information about the lead-free bullets on pages 18 / 19, 24 / 25 and from p. 34

Warning - Fire or projection hazard.
The information on the product label must always be followed.

SHORT RIFLE





IDEALLY SUITED FOR HUNTING WITH SUPPRESSORS

FULL PERFOR-MANCE FROM SHORT BARRELS

Performance Plus

Short, handy barrels are well-loved amongst hunters. This trend is increasing now that hunting with silencers is now allowed in many jurisdictions. So that a rifle with a moderator doesn't become too cumbersome, shorter barrels measuring between 420 and 550 mm are ordered more often. But beware! Standard ammunition is set up for the typical barrel length of 600 mm. If this ammunition is fired from shorter barrels, it has the following disadvantages: Loss of velocity and energy, reduced effectiveness, intense muzzle flash, loud muzzle blast and accelerated wear on moderators. RWS has developed a loading that has been specially optimized for firing from short barrels without having to accept any reduction in performance – the SHORT RIFLE cartridge.

***NEW:* DRIVEN HUNT**

.308 Win. (9,7 g | 150 gr), .30-06 Springfield (9,7 g | 150 gr)
9,3 x 62 (16,2 g | 250 gr)



SPEED TIP PROFESSIONAL

.308 Win. (10,7 g | 165 gr), .30-06 Springfield (10,7 g | 165 gr),
8 x 57 JS (11,7 g | 180 gr)



HIT

.308 Win. (9,7 g | 150 gr), .30-06 Springfield (10,7 g | 165 gr),
.300 Win. Mag. (10,7 g | 165 gr), 8 x 57 JS (10,4 g | 160 gr),
9,3 x 62 (16,2 g | 250 gr)



EVOLUTION GREEN


.308 Win. (9,0 g | 139 gr), .30-06 Springfield (9,0g | 139 gr)



Warning - Fire or projection hazard.
The information on the product label must always be followed.

OPTIMIZED, CONVINCING, SMART





SHORT RIFLE

RWS has revolutionized the market with the SHORT RIFLE cartridge! The fast-burning powder, optimal bullet weight and powerful primer of this specially balanced loading are responsible for the success of the SHORT RIFLE cartridge in the hunting market. This cartridge, optimized for shorter barrels, unites the following features:

REDUCED MUZZLE FLASH

The fast-burning, offensive powder significantly reduces muzzle flash and blast in short barrels. You retain your vision after the shot when hunting at night and in twilight.

FULL VELOCITY AND ENERGY

Thanks to its specially balanced loading, the SHORT RIFLE cartridge achieves full velocity and energy in short barrels. For practical purposes, this means no restrictions in use and the same full effectiveness as longer barrels, even at long ranges.

INCREASED EFFECTIVE RANGE

Speaking of that boost in performance: The V_0 of the RWS SHORT RIFLE HIT is about 9% above average in barrels 400 to 600 mm long. The SHORT RIFLE HIT produces an E_0 that is about 12% above average in barrels 400 to 600 mm long.

BEST FOR USE WITH MODERATORS

Short barrels and silencers make a perfect pairing. The complete combustion of the fast-burning powder in the barrel assures greatly increased life expectancy of the moderator and promotes accuracy. We have had particularly good experiences with HAUSKEN moderators.

NICKELED CASES

Not only do they look chic but they have a practical use. Nickel-plated cases are exceptionally corrosion-resistant and chamber more smoothly. Stuck cases, especially in semi-automatic rifles, are now a thing of the past.

SHORT RIFLE cartridges are, in fact, particularly suitable for use in semi-automatic rifles and – of course – are available in lead-free.

Ballistic data for Short Rifle cartridges are found on pp. 60 - 64

LEAD-FREE WITH PENETRATION POWER

Specialists for every hunting scenario – EVOLUTION GREEN, HIT and DRIVEN HUNT

Effective hunting, lead-free shooting: RWS lead-free premium rounds can be identified by the Green Label.



Hunting effectively and shooting lead-free are not mutually exclusive. RWS has been successful in developing two first-class lead-free bullets which deliver maximum performance in all hunting situations.

FULL ENERGY & AMAZING SHOCK EFFECT

The RWS DRIVEN HUNT is a bullet made especially for driven hunt passionates. The lead-free copper deformation bullet is nickel-plated and features a flat orange nose tip. The flat nose tip facilitates the bullet in the fast deformation process and guarantees an extreme knock-down power with high weight retention.

The bullet is suitable for all domestic game species and impresses in the medium to heavy game range as well as at short to very short distances typical for driven hunts, night hunts and stalkings.



FULL ENERGY & AMAZING SHOCK EFFECT – LEAD-FREE

- Outstanding shock effect
- Maximum weight retention
- Unmatched energy transfer
- 100% lead- and splitter-free bullet

HIT – HIGH IMPACT TECHNOLOGY

The RWS HIT bullet is a monolithic lead-free expanding bullet with superior weight retention. The unique HIT matrix with the RWS TC tip guarantees certain and rapid expansion of the bullet with great shocking power, from standard- to longer ranges. The compact recovered slug has 99% weight retention and provides deep penetration – even on bone hits! That is why the RWS HIT is the right lead-free alternative for those who prefer a non-fragmenting bullet.

Perfect for all European game species and, above all, for medium to large game.



CONVINCING PENETRATION

- 100% lead- and splitter-free bullet
- Flatter trajectory
- High instantaneous effectiveness and minimal damage to the meat

EVOLUTION GREEN

The RWS EVOLUTION GREEN is a lead-free partially-fragmenting bullet with a series of codependent design features. The bullet cores are made of food-safe tin. Due to a special pre-fragmentation of the front bullet core as well as the speed tip bullet point, the RWS EVOLUTION GREEN offers convincing performance, namely outstanding shocking power, especially at long distances.

For all European game species, especially light to medium game.



OUTSTANDING KNOCK-DOWN POWER

- 100% lead-free bullet
- Flat trajectory – high MRD
- Long range efficiency

For detailed information on RWS lead-free bullets see pp. 40 – 43

Warning - Fire or projection hazard.
The information on the product label must always be followed.



TRAVELING WITH THE LONG RANGE SPECIALISTS

When penetration and stopping power are decisive

Rapid technical advances in hunting guns and optics have made hitting reliably past 100 to 150 meters possible. Whether at home stalking red stag, mountain hunting for chamois or in Africa in pursuit of oryx, kudu and the like, all of these game species require deep penetration and great stopping power. The bullet should also be able to unleash its full performance on a range of game weights at various distances.

With the new SPEED TIP PROFESSIONAL, RWS has developed a modern hunting bullet that meets those demands. Based on proven H-Mantel technology, it covers shooting ranges up to 300 meters and beyond for game of all weight classes. The RWS SPEED TIP PROFESSIONAL has impressive shocking and stopping power and is predestined for shooting at long ranges.



SPEED TIP PROFESSIONAL: THE MODERN UPGRADE OF THE TRUSTED H-MANTEL BULLET



ST PROFESSIONAL

SPEED TIP PROFESSIONAL

More details about the bullet can be found on pages 34 / 35



Thoroughly tested: The SPEED TIP PROFESSIONAL in .308 Win. has a flatter trajectory, especially in the SHORT RIFLE version.

Warning - Fire or projection hazard.
The information on the product label must always be followed.

LONG RANGE EXPERTISE

The path to long range success

PRACTICE

The first and most important step toward shooting game at long range is practice. Only he who is intimately familiar with his rifle, his optics and his ammunition can hit reliably and hunt successfully. When at the range, various shooting positions and presentations must be mastered at ranges of between 100 and 300 meters. For example, one goal of your training before going after mountain chamois could be to try and shoot close to the same group size with the rifle rested on your backpack as you shoot off of sandbags from the bench at 300 meters.

EQUIPMENT

In order to master the challenge of the long-range shot at game, you need – besides training – the appropriate outfit, an accurate rifle with suitable optics – ideally a scope fitted with bullet drop compensation (BDC) – and, above all, very accurate ammunition. A laser rangefinder should also be in your kit since one can easily get the range wrong otherwise, which can lead to a miss or a strenuous search and recovery.

EXPERTISE

Even the most accurate rifle with the best ammunition has an innate amount of shot dispersion. A group size of 2 cm at 100 m is considered very good accuracy from an accurate rifle with high-quality ammunition. As the range increases, the group size will get larger. At 200 m it is 4 cm; at 300 m it is 6 cm. When hunting, other factors play a role. Pulse rates increase from physical exertion, excitement is high just before the shot, and the game doesn't usually stay still for minutes at a time. We must also add the shooter's dispersion to the rifle's dispersion. 4 cm at 100 m is a realistic number. Adding both values together results in the total dispersion. In our example, this is a hefty 18 cm at 300 m.

When we transpose these figures onto the various game species, it quickly becomes obvious that it is not possible to shoot smaller game at the sort of ranges that are possible for larger game species.


WIND

What we have discussed so far can be calculated. But there are also factors that can hardly be calculated at all. One of these factors is the wind. With extensive practice, one can learn to estimate the wind drift of his bullet. The rule of thumb is that the heavier, more aerodynamic and faster a bullet is, the less it will be influenced by the wind. Even a light breeze of wind force 3, i.e. 5 m/sec, will affect the point of impact: In a .300 Win. Mag. with the SPEED TIP PROFESSIONAL bullet, wind drift would be 21 cm at 300 m. A simple jacketed soft point from a 6.5x57R would drift 38 cm. Add to this the fact that the wind is influenced by the landscape: No wind in protected areas, headwind on the edge of a forest. To put a point on it, if you can feel the wind, it takes a lot of practice to learn how to read it and, if you can't, a lot more composure to not take the shot.

SUMMARY

Making the shot at long range isn't magic – it just takes practice and the right equipment. But you need to work on this ahead of time to first learn where your personal limits lie and then to accept them.


SHOOTER DISPERSION





EFFECTIVE TARGET ZONES OF GAME

One should keep the size of the effective target zone in mind before taking the shot, regardless how far away the animal is.



WHEN MOMENTS MAKE A DIFFERENCE

Precise, effective, uncompromising- the RWS DRIVEN HUNT cartridge





THE SAFE SHOT

The driven hunt season is the high point of the year for many. It is, on the one hand, a wonderful opportunity to celebrate hunting traditions in the company of like-minded enthusiasts and on the other the perfect way to bag game efficiently. But while there is no shortage of bullets that are specifically designed for every conceivable scenario, there have been none so far for driven hunts, nor for other kinds of hunts with typically very short shooting distances, such as night hunts or stalkings.



Until now! RWS is heralding a new era with the innovative DRIVEN HUNT cartridge. Fashioned from copper, this lead-free deformation bullet was engineered specifically for the requirements of driven hunts. Its particular projectile design with the eye-catching flat tip, boattail, performance grooves and unique manufacturing process guarantee outstanding shock effect with maximised residual weight – even at short distances. What's more, the bullet is nickel-plated, which is especially gentle on the barrel. DRIVEN HUNT is suitable for all domestic game species, but performs outstandingly on medium to heavy game.

RWS Driven Hunt is available in:
.308 Win., .30-06 Springfield, 8x57 JS,
8x68 S, .300 Win. Mag. and 9,3x62

Also as SHORT RIFLE:
.308 Win. and .30-06 Springfield and 9,3x62

- FULL ENERGY & AMAZING SHOCK EFFECT – LEAD-FREE
- Outstanding shock effect
- Maximum weight retention
- Unmatched energy transfer
- 100% lead- and splitter-free bullet

For detailed information on RWS lead-free bullets see pp. 34 - 35

Warning - Fire or projection hazard.
The information on the product label must always be followed.

PASSION CONNECTS

Living tradition and sharing the joy of hunting – the driven hunt season marks one of the hunting highlights of the year.

Driven hunts are not only an efficient way of obtaining sustainable game meat – they also exhibit a charm of their own. Hunting in the forest in autumn is a special nature experience in itself. If the sound of dogs barking and horns echoing are added, goosebumps are inevitable.

Anyone who has ever taken part in a well-organised driven hunt knows the appeal of this type of hunt. It underscores the sustainability of hunting and consolidates the value of hunting as a cultural asset. It also brings people together who share the same passion and forges relationships.

WHICH BULLETS FOR THE DRIVEN HUNT?

When hunting in general, animal welfare is the top priority. This goes hand in hand with not only respectful treatment of game as living creatures, but also animal welfare – i.e. killing / taking from nature in a manner that is as free from suffering as possible. Effective projectiles are required to quickly knock down the target and prevent searches.

With the lead-free partially fragmenting EVOLUTION GREEN and the brand new lead-free deformation bullet DRIVEN HUNT, RWS offers to suitable solutions for driven hunts. The first one is also available in the SHORT RIFLE variant for users with reduced barrel length – and offers a significant increase in performance compared to standard loads. The latter shows even on shorter distances around 35 meters its maximum of effectiveness.







The choice of bullet is an essential factor for a goal-oriented hunt.



SUCCESSFUL DRIVEN HUNTS

Individual success on a driven hunt depends on many factors. Three factors that anyone can influence are proper preparation, the right equipment and correct behaviour at the hunting site.

Individual success on a driven hunt depends on many factors. Three factors that anyone can influence are proper preparation, the right equipment and correct behaviour at the hunting site. Shooting moving game requires constant practice and great skill – experienced driven hunters know that. A wide range of practice options is available for shooters - from classic stand targets to running boars to shooting and laser shooting theatres. Tip: It is best to practice in the hunting clothing that will be used later on the hunt.

All equipment should be chosen in such a way that it fulfils the purpose – mobility and functionality are in the fore-ground here. It is crucial that alternating game can be captured quickly and cleanly bagged. A handy weapon with slim optics or open sights is certainly more advantageous than a typical high-seat version with a large lens diameter.

SAFETY BEFORE HUNTING SUCCESS

Another point that should not be ignored is the choice of the bullet. Game on the hoof turn out to be much harder to shoot than those grazing. Accordingly, an excellent response behaviour with a high instantaneous effect is crucial.

When at the hunting site, remember this: There is strength in remaining calm. After setting up, it makes sense to take your time to look around in order to memorise promising locations such as deer crossings, paths or clearings in the area with a good field of fire as well as potential danger points. Whether you prefer to shoot sitting or standing depends on your personal skills and preferences. The key is: Safety is the top priority.






SINCE 1886
.300 Win. Mag. | CINESHOT®
SPEZIALPATRONE FÜR SCHIESSKINOS · 9,5g | 147gr

CINESHOT®

Training for ethical hunting

The CINESHOT® is the first cartridge designed especially for shooting cinemas. Both the GREENFIRE technology and the outstanding performance of this cartridge are specifically tailored to this type of shooting. RWS developed CINESHOT® as a low-cost round that makes regular training affordable, reduces lead emissions and is easy on the rifle. For a healthy environment and an ethical hunt.

Thanks to consistent loading and finely-tuned bullet geometry, CINESHOT® has very good accuracy and enough pressure to function reliably in all normal semi-automatic rifles.
A special bullet coating minimizes bullet friction in the barrel and allows for intensive training.

CINESHOT® with Greenfire Technology
is available in
7 x 64, .308 Win., .30-06 Springfield, .300 Win. Mag.,
8 x 57 JS and 9,3 x 62



Warning - Fire or projection hazard.
The information on the product label must always be followed.

OUR BULLETS

For every purpose

You are looking for a lead-free bullet that guarantees the best possible recovery of your venison harvest and has an excellent effect on heavy game? And that bullet should be effective at standard and longer ranges as well? Then the HIT is the right choice for you.

Or are you looking for a bullet tailored for driven hunts that demonstrates its full effectiveness even on shorter and short distances? In this case you may want to direct your attention to the new DRIVEN HUNT bullet.

RWS has a wide variety of bullet designs whose spectrum extends from the time-tested semi-jacketed soft point to partially fragmenting bullets to the modern SPEED TIP PROFESSIONAL bullet. You have the power to choose! You can choose the appropriate bullet for the species of game you hunt, whether it be light, medium or heavy game.

And even though every hunter has his preferences – one swears by great shocking and stopping power because he is invited to many driven game hunts, whereas another places increased value on extraordinary accuracy because he wishes to hunt chamois – RWS has the right bullet for every application.



DRIVEN HUNT



HIT



EVOLUTION GREEN



SPEED TIP PROFESSIONAL



EVOLUTION



DOPPELKERN



KEGELSPITZ



ID CLASSIC



UNI CLASSIC



TEILMANTEL



MATCH JAGD

THE BEST BULLET SUITABILITY AT A GLANCE


New performance charts for a quick overview and the right decision

Those among you who have never seen, hunted or killed a Wolpertinger*, the German fairy tale character that embodies a variety of different animal species, will certainly share our opinion: in real life, allrounders are very very rare, as there's nothing out there that can master every conceivable scenario or represents everything at once. This also applies to (hunting) bullets. Some are particularly suitable for small, medium or large game, others are exceptionally good for short or particularly long shooting distances. Different bullets also have different strengths in terms of the effectiveness. Strengths or special suitability that can also be visualised.

The new performance graphics from RWS aim to quickly highlight these strengths (or special features) and illustrate them at a glance. The main objective is to show what certain bullets can do better or extremely well in comparison to others. Four selected 'dimensions' (1. game type, 2. shooting distance, 3. penetration vs. expansion, 4. knock-down power vs. meat yield) serve as a rough guide, with case heads indicating the respective bullet suitability on a scale – leaning towards one characteristic or the other.

A position in the middle indicates a tendency towards universal or no specific application of the respective bullet, evaluated on the basis of the corresponding criterion.

This is no science, but merely one of many orientation aids designed to enable hunters worldwide to maintain an overview and make the right decision according to their personal expectations or specific requirements.



* A German fairy tale character

DRIVEN HUNT

Precise - Effective - Uncompromising

FULL ENERGY & AMAZING SHOCK EFFECT – LEAD-FREE

The RWS DRIVEN HUNT is a bullet made especially for driven hunt passionates. The lead-free copper deformation bullet is nickel-plated and features a flat orange nose tip. The flat nose tip facilitates the bullet in the fast deformation process and guarantees an extreme knock-down power with high weight retention. Give it a shot! The bullet convinces partiularly with medium to heavy game and at shorter up to shortest distances typical for driven hunts, night hunts and stalking.

Available Calibres: .308 Win. | .308 Win. SHORT RIFLE | .30-06 Springfield | .30-06 Springfield SHORT RIFLE | .300 Win. Mag. | 8x57 JS | 8x68 S | 9,3x62 | 9,3x62 SHORT RIFLE

FEATURES AT A GLANCE


- Outstanding shock effect
- Maximum weight retention
- Unmatched energy transfer
- 100% lead- and splitter-free bullet








DRIVEN HUNT



Small game				●		Large game
Short range	●					Long range
Maximum penetration			●			Rapid expansion
Superior knock-down power		●				Maximum meat preservation



Cal. .308 Win. at 35 m

→

SPEED TIP PROFESSIONAL

The Long Range Specialist

EXTREME KNOCK-DOWN POWER

Its swift expansion in the game animal is achieved thanks to the speed tip bullet, which has an integral hollow point and an easily fragmented front core. The speed tip's harder rear core guarantees penetration. Results for the hunter include greatly shortened death flights.

HIGHLY ACCURATE

A convincing prerequisite for long shots. This is guaranteed by the V-Tail bullet base and the nickeled bullet jacket.

FLAT TRAJECTORY

The extremely flat trajectory and high velocity make hunting at long ranges a reality. This is achieved by the use of an aerodynamic profile topped off with a speed tip point and V-Tail base.

FEATURES AT A GLANCE

- Immense shocking and stopping power, even at long ranges
- Extremely flat trajectory due to low air resistance
- Compelling accuracy

Available Calibres: 6,5 Creedmoor | 6,5 x 55 SE | .270 Win. | 7mm Rem. Mag. | 7 x 64 | .308 Win. SHORT RIFLE | .308 Win. | .30-06 Springfield SHORT RIFLE | .30-06 Springfield | .300 Win. Mag. | 8 x 57 JS SHORT RIFLE | 8 x 57 JS | 8 x 57 JRS | 8 x 68 S | .338 Lapua Mag.







ST PROFESSIONAL



Small game			●			Large game
Short range					●	Long range
Maximum penetration				●		Extraordinary shock effect
Superior knock-down power	●					Maximum meat preservation



Cal. .308 Win. at 200 m

→

HIT GREEN™

Powerful and Lead-Free

SUPERIOR PENETRATING POWER

Certain exit wounds with reliable blood trails. Slug expands to about twice the caliber's diameter with 99% weight retention.

MAXIMUM OF VENISON PROTECTION

Unlike fragmenting bullets, the lead-free and dimensionally stable RWS HIT only delivers its energy through fragment-free expansion inside the game animal. The result: maximum venison recovery without bullet fragments!

FLAT TRAJECTORY

The RWS HIT has proven itself very capable at standard to longer ranges thanks to its flat trajectory with high impact velocity and energy, especially in ultra-velocity calibres.

FEATURES AT A GLANCE

- Reassuring penetrating power, even on bone hits
- Flat trajectory
- Great shocking power
- Maximum of vension protection
- 100% lead- and fragment-free bullet



Available Calibres: .22 Hornet | .222 Rem. | 6,5 Creedmoor | 6,5 x 55 SE | 5,6 x 50 R Mag. | 7mm Rem. Mag. | 7 x 64 | 7 x 65 R | .308 Win. SHORT RIFLE | .308 Win. | .30-06 Springfield SHORT RIFLE | .30-06 Springfield | .300 Win. Mag. SHORT RIFLE | .300 Win. Mag. | 8 x 57 JS SHORT RIFLE | 8 x 57 JS | 8 x 57 JRS | 8 x 68 S | 9,3 x 62 SHORT RIFLE | 9,3 x 62 | 9,3 x 74 R | 10,3 x 68 Mag.



HIT BULLET



Twin Compression Tip for reliable deformation & flat trajectory

Nickel-plated surface for less barrel fouling

Copper deformation bullet for deep penetration

Boattail for highest precision and stable trajectory

Small game				●		Large game
Short range			●			Long range
Maximum penetration		●				Rapid expansion
Superior knock-down power				●		Maximum meat preservation



Cal. .308 Win. at 100 m

→



EVOLUTION GREEN

Extraordinary Shocking Power - Lead-Free



MORE SHOCKING POWER

Extraordinary expansion properties via multiple perforations of the tin front core and the use of the speed tip point for reassuring shocking power. This results in shorter flights and less tracking effort.

MORE RANGE

Excellent killing power even at long and longer impact distances. Ordinary designs show greatly reduced expansion at long ranges. Not so with the EVOLUTION GREEN. Its intelligent bullet design significantly reduces this effect. This bullet is suitable for all European game, yet its strengths lie in the taking of light- to medium-weight animals.

Available Calibres: 6,5 Creedmoor | 6,5 x 55 SE | 6,5 x 57 | 6,5 x 57 R | 6,5 x 68 | .270 Win. | .270 WSM | 7 x 57 R | 7mm Rem. Mag. | 7 x 64 | 7 x 65 R | .308 Win. SHORT RIFLE | .308 Win. | .30-06 Springfield SHORT RIFLE | .30-06 Springfield | .30 R Blaser | .300 Win. Mag. | 8 x 57 JS | 8 x 57 JRS | 8 x 68 S | 9,3 x 62 | 9,3 x 64 | 9,3 x 74 R | 10,3 x 68 Mag.

GREEN EVO FRAGMENTATION




FEATURES AT A GLANCE

- Outstanding shocking power
- Flat trajectory – long RZR*
- Full effectiveness at long ranges
- 100% lead-free bullet

*Recommended Zero Range



Cal. .308 Win. at 200 m



Small game			●			Large game
Short range				●		Long range
Maximum penetration				●		Extraordinary shock effect
Superior knock-down power	●					Maximum meat preservation

EVOLUTION

Outstanding Penetration

The performance advantage of the EVOLUTION is especially noticeable on bone hits, primarily on heavier game. Whereas classic semi-jacketed bullets fragment upon impact on heavy bones and retain less energy for penetration and exit wounds, the EVOLUTION bullet remains, for the most part, intact. Via the special power bonding of the lead core to the gilding metal jacket, it achieves retained weights of nearly 100% and ensures a high probability of an exit wound with minimal meat protection. Thanks to its aerodynamic profile and ballistic calotte, the EVOLUTION bullet stands out with good inherent accuracy. It has a flat trajectory and consistently high impact energy, even at long ranges.




Cal. .308 Win. at 100 m



FEATURES AT A GLANCE

- Rapid X Tip® for fast and controlled expansion
- Outstanding penetration power
- Outstanding accuracy
- Nearly 100% weight retention





Available Calibres: .270 Win. / 7mm Rem. Mag. / 7 x 64 / 7 x 65 R / .308 Win. / .30-06 Springfield / .30 R Blaser / .300 Win. Mag. / .300 WSM / 8 x 57 JS / 8 x 57 JRS / 8 x 68 S / 9,3 x 62 / 9,3 x 74 R



ID CLASSIC


For Light Game

The basic premise behind the ID CLASSIC is the ideal combination of expansion and penetration in the target. This is achieved by using a peg joint to unite two cores of differing hardness. The soft front core fragments in a controlled manner, delivering its energy quickly into the animal. The rear core of the ID CLASSIC mushrooms more starkly than that of the UNI CLASSIC, thus making it especially suitable for light- to medium-weight hoofed game.

The nickel-plated mild steel jacket protects the barrel and gets progressively thicker towards the rear to assure controlled expansion. The torpedo-shaped boattail ensures stability in flight.



Cal. .308 Win. at 100 m



Available Calibres: 7 x 57 | 7 x 57 R | 7mm Rem. Mag. | 7 x 64 | 7 x 65 R | .308 Win. | .30-06 Springfield | 8 x 57 JS | 8 x 57 JRS

Small game		●				Large game
Short range			●			Long range
Maximum penetration				●		Extraordinary shock effect
Superior knock-down power		●				Maximum meat preservation

FEATURES AT A GLANCE

- Great shocking power
- Dual-core design limits fragmentation
- Cutting edge produces good blood trails
- Ideal for light to medium game


UNI CLASSIC

For Heavy Game

The UNI CLASSIC bullet was developed especially so that it would be capable of hunting heavy hoofed game up to large game – a counterpart to the ID CLASSIC. The harder and heavier rear core has less tendency to mushroom, which further increases penetration. Like the ID CLASSIC, the front core fragments reliably, which assures great shocking power upon impact. The torpedo-shaped boattail ensures stability in flight.



Cal. .308 Win. at 100 m



Available Calibres: .308 Win. / .30-06 Springfield / .30 R Blaser / .300 Win. Mag. / 9,3 x 62 / 9,3 x 64 / 9,3 x 74 R / .375 H&H Mag.

Small game				●		Large game
Short range			●			Long range
Maximum penetration		●				Extraordinary shock effect
Superior knock-down power		●				Maximum meat preservation


FEATURES AT A GLANCE

- Combines shocking and penetrating power
- Dual-core design limits fragmentation
- Universal bullet for medium to heavy game

DOPPELKERN

For Controlled Shocking Power

The dual-core Doppelkern bullet consists of two lead cores of differing hardness. The front core fragments reliably and ensures great shock effect. In order to control this deformation, a unique gilding metal cup separates the rear core from the soft front core. The core weight proportion is 50:50, which guarantees a perfect combination of shocking power with the high probability of an exit wound. This design results in a straight bullet path.



FEATURES AT A GLANCE

- Highly accurate
- Great shocking power
- Dual-core design limits fragmentation
- Cutting edge for good blood trails

Small game			●			Large game
Short range				●		Long range
Maximum penetration				●		Extraordinary shock effect
Superior knock-down power		●				Maximum meat preservation

Available Calibres: 6,5 x 55 SE | 6,5 x 57 | 6,5 x 57 R | .308 Win. | .30-06 Springfield | .30 R Blaser | .300 Win. Mag. | 9,3 x 62



Cal. .308 Win. at 100 m




MATCH JAGD

Precise by Tradition

THIS TYPE OF BULLET IS NOT SUITABLE FOR HUNTING!
Generations of junior hunters and competitive shooters have relied on these cartridges for their toughest test. With success.

The RWS MATCH hunting bullet ensures you get the most precision out of your weapon. Due to compliance with hunting laws, (E 100 > 1000 joules) the RWS .222 Rem. MJ 3.4 g is especially suited for training for the hunter test and the actual test shooting.

MATCH MJ JAGD



Available Calibres: .22 Hornet | .222 Rem.

KEGELSPITZ

For Premium Accuracy

With both light and heavy game, this cone-point bullet offers controlled expansion and delivers consistent energy into the game animal while retaining a slug that has usefully expanded to produce an exit wound. The secret lies in the optimal balance between the thickness of the jacket and the hardness of the lead core.


FEATURES AT A GLANCE

- Extraordinary accuracy with low air resistance
- Reliable expansion
- Minimal fragmentation

Small game			●			Large game
Short range				●		Long range
Maximum penetration			●			Extraordinary shock effect
Superior knock-down power			●			Maximum meat preservation



Available Calibres: 5,6 x 57 / .243 Win. / 6,5 x 57 / 6,5 x 57 R / 6,5 x 65 R RWS / 6,5 x 68 / .270 Win. / 7 x 57 R / 7mm Rem. Mag. / 7 x 64 / 7 x 65 R / .308 Win. / .30-06 Springfield / .300 Win. Mag. / 8 x 68 S / 9,3 x 62 / 9,3 x 74 R



KEGELSPITZ Cal. .308 Win. at 100 m

TEILMANTEL


For Immense Energy Transfer

The semi-jacket softpoint is a bullet type that has been trusted for generations and, even today, has many adherents. Its well-engineered design transfers great energy into the game animal for good stopping power. Available in round nose and pointed profiles.

FEATURES AT A GLANCE

- Highly accurate
- Quick energy transfer
- Flat trajectory

Small game			●			Large game
Short range			●			Long range
Maximum penetration			●			Extraordinary shock effect
Superior knock-down power			●			Maximum meat preservation



Available Calibres: .22 Hornet / .222 Rem. / .223 Rem. / 5,6 x 50 Mag. / 5,6 x 50 R Mag. / 5,6 x 52 R / .243 Win. / 9,3 x 74 R (Rundkopf)

TARGET ELITE PLUS

MATCH CARTRIDGES IN HANDLOADER QUALITY

Unique in design and load: The RWS TARGET ELITE PLUS embodies everything you could conceivably want in a modern precision cartridge! The double-step loading technology ensures hitherto unrivalled manufacturing quality – for consistently reliable results at all long-range distances.

- Maximum accuracy: Defined accuracy requirement at 300 m of no more than 16.9 mm to 25 mm standard deviation in test barrels
- For long-range disciplines at shot distances of up to 1,200 m
- Big-bore cartridge prepared in handloader quality
- Specially manufactured match cartridges
- Engineered for high-end match firearms and suitable twist lengths in the long-range segment

The complete range of TARGET ELITE PLUS Match cartridges at S. 64







BEST COMPONENTS – OUTSTANDING RESULT!
RWS TARGET ELITE PLUS WITH SCORION BULLET

Match cartridges in handloader quality with highly precise ballistics and consistently outstanding accuracy up to a maximum range of 1,200 m. Loaded with the RWS SCORION bullet for maximum accuracy at all distances.



All RWS TARGET ELITE PLUS cartridges to be used exclusively for sport shooting purposes only. This means: Do not use for hunting purposes, as there is no mushrooming effect to be expected.

Warning - Fire or projection hazard.
The information on the product label must always be followed.

TARGET ELITE PLUS FEATURING SCORION

MAXIMUM ACCURACY AT ALL DISTANCES.

Latest generation HPBT match cartridge



High BC for unbeatable long-range performance


Flawless concentricity for maximum accuracy

Optimised boat tail for a stable trajectory

Manufactured to the highest quality standards, the aerodynamic SCORION hollow point bullet delivers an excellent BC value, maximum accuracy, a flat trajectory, as well as minimum sensitivity to crosswinds at all ranges.







"TARGET ELITE PLUS is the ideal choice for long-range disciplines and matches where every millimetre counts"



BALLISTICS, THE SCIENCE OF PROJECTILES IN FLIGHT, IS DIVIDED INTO FOUR CATEGORIES:

INTERNAL BALLISTICS covers the time from the propellant‘s ignition in the chamber until the projectile exits the muzzle, studying all internal processes such as gas pressure and bullet velocity, among others.

EXTERIOR BALLISTICS is concerned with the flight of the bullet from the time it exits the muzzle until it reaches its target, taking into account all external influences such as gravity, air resistance and other atmospheric influences.

TRANSITIONAL BALLISTICS studies events at the muzzle at the point where the bullet exits the barrel.

TERMINAL BALLISTICS studies the effect of a projectile on the target.

BALLISTICS

Getting to the Point...

BALLISTIC DATA: These are the averages of the results of many test firings from rifles of different manufacturers. Generally, the data are valid for a horizontal shot at sea level.

BARREL LENGTH: The standard length is 600 mm. If the barrel length of the rifle is shorter or longer, the velocity for standard loadings will be lower or higher accordingly. The trend toward shorter barrels demonstrates this effect on the velocity and performance of the bullet.


RZR: RZR stands for recommended zero range. The RZR is the point at which the path of the bullet crosses the line of sight for the second time and is not at any time more than 4 cm above or below it. Sighting in at 100 m is still possible. For example: The 7 x 64 EVOLUTION GREEN must impact 4 cm above the aiming point at 100 m for the RZR of 195 m to be utilized without having to adjust the point of aim. The RWS sight-in target is optimal for sighting in. You can download it at rws-ammunition.com.

V_0: This is the muzzle velocity of the bullet. The velocity, or V, (Lat. velocitas) is given in meters per second (m/s) at ranges from 0 to 300 meters.

BALLISTIC COEFFICIENT (BC): Every bullet is slowed down by air resistance. The rate of this slowing is dependent upon the shape, mass and velocity of the bullet as well as the density of the air. The BC simply indicates how well a bullet overcomes air resistance. The higher the BC, the better the bullet can do this.

JOULE: The energy of a bullet is calculated from its velocity and its weight. E100 is the amount of energy delivered to an animal at a distance of 100 meters. In Germany, a rifle cartridge for roe deer is required to have an E100 of 1000 joules, while a cartridge for other hoofed game must be in a caliber of at least 6.5 mm with an E100 of 2000 J.

To ensure that you can find your way around the ballistic data even better, the game symbols highlight the weight class for which the respective bullet is optimally suited. These symbols can also be found on the back of the packaging. Also new on the packaging: the recommended operating range. Making sure you are always on the safe side.



.22 HORNET



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
HIT ●	2,6	600	V[m/s]	736	626	526	439	370	323	295	⊕	100 m	0,7	⊕	-9,7	-32,3	-72,9	-136,4	✓						200m
241 98 37	40	0,123	E[J]	704	509	360	251	178	136	113	RZR	132 m	2,7	4,0	-3,7	-24,4	-63,0	-124,5							
MATCH JAGD	3,0	600	V (m/s)	690	596	511	436	376	332	303	⊕	100 m	1,0	⊕	-10,5	-34,0	-75,0	-137,9	✓						
211 63 67	46	0,140	E (J)	714	533	392	285	212	165	138	RZR	130 m	3,0	3,0	-4,6	-26,2	-65,1	-126,0							
TEILMANTEL SPITZ	3,0	600	V[m/s]	700	613	532	460	399	351	319	⊕	100 m	0,8	⊕	-9,6	-30,8	-67,7	-124,4	✓						100m
211 63 75	46,3	0,152	E[J]	735	564	425	317	239	185	153	RZR	133 m	2,8	4,0	-3,6	-22,8	-57,7	-112,4							

.222 REM.



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
HIT ●	2,6	600	V[m/s]	1060	902	761	633	520	424	352	⊕	100 m	-1,0	⊕	-3,3	-12,9	-31,9	-65,0	✓						200m
242 09 76	40	0,108	E[J]	1461	1058	753	521	352	234	161	RZR	170 m	1,0	4,0	2,7	-4,9	-21,8	-52,9							
TEILMANTEL SPITZ	3,24	600	V (m/s)	1020	929	843	763	687	616	550	⊕	100m	-1,1	⊕	-2,4	-9,0	-20,9	-39,3	✓						180m
211 64 05	50	0,186	E (J)	1685	1398	1151	943	765	615	490	RZR (m)	191	0,9	4,0	3,6	-1,0	-10,9	-27,3							
MATCH JAGD	3,4	600	V (m/s)	980	890	806	726	652	582	517	⊕	100m	-0,9	⊕	-2,9	-10,4	-23,7	-44,4	✓						180m
241 78 54	52	0,183	E (J)	1633	1347	1104	896	723	576	454	RZR (m)	182	1,0	4,0	3,1	-2,4	-13,8	-32,5							

.223 REM.



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
TEILMANTEL SPITZ	3,6	600	V (m/s)	1000	919	842	770	702	637	575	⊕	100m	-1,0	⊕	-2,4	-9,0	-20,6	-38,3	✓	✓					180m
211 64 72	56	0,207	E (J)	1800	1520	1276	1067	887	730	595	RZR (m)	191	1,0	4,0	3,6	-1,0	-10,6	-26,3							

5,6 x 50 MAG.



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
TEILMANTEL SPITZ	4,1	600	V (m/s)	920	854	791	730	673	618	566	⊕	100m	-0,8	⊕	-3,1	-10,9	-24,0	-43,7	✓	✓					200m
211 64 99	63	0,240	E (J)	1735	1495	1283	1092	929	783	657	RZR (m)	179	1,2	4,0	2,8	-2,9	-14,1	-31,8							

5,6 x 50 R MAG.



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
HIT ●	2,6	600	V[m/s]	1034	878	738	612	500	407	341	⊕	100 m	-0,9	⊕	-3,7	-14,1	-34,7	-70,5	✓	✓					200m
241 98 38	40	0,107	E[J]	1390	1002	708	487	325	215	151	RZR	166 m	1,1	4,0	2,4	-6,0	-24,6	-58,4							
TEILMANTEL SPITZ	3,24	600	V (m/s)	1015	924	839	759	683	613	546	⊕	100m	-1,1	⊕	-2,4	-9,2	-21,2	-39,8	✓	✓					200m
211 68 47	50	0,186	E (J)	1669	1383	1140	933	756	609	483	RZR (m)	190	0,9	4,0	3,6	-1,2	-11,2	-27,8							
TEILMANTEL SPITZ	4,1	600	V (m/s)	900	835	772	713	656	602	551	⊕	100m	-0,7	⊕	-3,4	-11,6	-25,6	-46,4	✓	✓					180m
211 65 02	63	0,240	E (J)	1661	1429	1222	1042	882	743	622	RZR (m)	175	1,3	4,0	2,6	-3,7	-15,7	-34,5							

5,6 x 52 R



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
TEILMANTEL SPITZ	4,6	600	V (m/s)	870	808	749	692	638	587	538	⊕	100m	-0,6	⊕	-3,8	-12,7	-27,7	-49,8	✓	✓					160m
211 68 63	71	0,248	E (J)	1741	1502	1290	1101	936	793	666	RZR (m)	170	1,4	4,0	2,2	-4,7	-17,7	-37,8							

5,6 x 57



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
KEGELSPITZ	4,8	600	V (m/s)	1030	964	900	840	782	727	673	⊕	100m	-1,2	⊕	-1,9	-7,2	-16,6	-30,6	✓	✓					200m
211 67 15	74	0,260	E (J)	2546	2230	1944	1693	1468	1268	1087	RZR (m)	205	0,8	3,9	4,0	0,6	-6,8	-18,8							

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Warning - Fire or projection hazard.
The information on the product label must always be followed.

BULLET ITEM NUMBER	WEIGHT Grammes g Grains gr	Barrel Length mm BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
.243 Win.																			
KEGELSPITZ	6,2	600	V (m/s)	910	856	804	754	706	660	615	⊕	100m	-0,8	⊕	-3,0	-10,3	-22,5	-40,4	220m
211 68 12	96	0,294	E (J)	2567	2271	2004	1762	1545	1350	1172	RZR (m)	183	1,2	4,0	3,0	-2,3	-12,5	-28,4	
TEILMANTEL SPITZ	6,5	600	V (m/s)	900	857	816	776	737	699	663	⊕	100m	-0,8	⊕	-2,9	-9,8	-21,3	-37,8	220m
211 68 71	100	0,371	E (J)	2633	2387	2164	1957	1765	1588	1429	RZR (m)	186	1,2	4,0	3,2	-1,8	-11,2	-25,7	
6,5 Creedmoor																			
EVOLUTION GREEN ●	6,0	600	V (m/s)	998	945	893	845	799	753	708	⊕	100m	-1,1	⊕	-2,0	-7,3	-16,6	-30,1	-300m
241 16 82	93	0,317	E (J)	2988	2679	2392	2142	1915	1701	1504	RZR (m)	185	0,9	4,0	4,0	0,7	-6,6	-18,1	
HIT ●	7,8	600	V (m/s)	859	821	784	747	712	677	644	⊕	100m	-0,7	⊕	-3,3	-11,0	-23,6	-41,5	-300m
242 64 62	120	0,401	E (J)	2878	2629	2397	2176	1977	1787	1617	RZR (m)	178	1,3	4,0	2,7	-3,0	-13,6	-29,6	
SPEED TIP PRO	9,1	600	V[m/s]	828	796	764	734	704	675	646	⊕	100m	-0,6	⊕	-3,6	-11,8	-25,0	-43,5	-300m
241 16 31	140	0,466	E[J]	3119	2883	2656	2451	2255	2073	1899	RZR (m)	174	1,4	4,0	2,4	-3,8	-15,0	-31,5	
6,5 x 55 SE																			
EVOLUTION GREEN ●	6,0	650	V (m/s)	990	936	883	834	788	740	694	⊕	100m	-1,1	⊕	-2,1	-7,6	-17,2	-31,2	270m
240 14 04	93	0,309	E (J)	2940	2628	2339	2087	1863	1643	1445	RZR (m)	203	0,9	4,0	3,9	0,3	-7,2	-19,2	
HIT ●	7,8	650	V (m/s)	811	775	741	706	673	641	610	⊕	100m	-0,5	⊕	-4,0	-13,0	-27,3	-47,7	270m
242 64 65	120	0,415	E (J)	2565	2342	2141	1944	1766	1602	1451	RZR (m)	169	1,6	4,0	2,0	-4,9	-17,2	-35,6	
SPEED TIP PRO	9,1	600	V[m/s]	797	765	734	703	674	644	616	⊕	100m	-0,4	⊕	-4,2	-13,3	-27,8	-48,3	270m
241 16 32	140	0,457	E[J]	2890	2663	2451	2249	2067	1887	1727	RZR (m)	167	1,6	4,0	1,9	-5,3	-17,8	-36,2	
DOPPELKERN	9,1	600	V (m/s)	820	771	724	679	635	594	553	⊕	100m	-0,4	⊕	-4,3	-13,8	-29,5	-52,2	180m
211 69 95	140	0,305	E (J)	3059	2705	2385	2098	1835	1605	1391	RZR (m)	165	1,6	4,0	1,7	-5,9	-19,6	-40,2	
6,5 x 57																			
EVOLUTION GREEN ●	6,0	600	V (m/s)	950	897	848	801	753	705	659	⊕	100m	-1,0	⊕	-2,4	-8,7	-19,3	-34,9	250m
240 14 05	93	0,309	E (J)	2708	2414	2157	1925	1701	1491	1303	RZR (m)	194	1,0	4,0	3,6	-0,7	-9,2	-22,8	
KEGELSPITZ	8,2	600	V (m/s)	840	798	758	718	680	643	607	⊕	100m	-0,6	⊕	-3,7	-12,2	-26,0	-45,7	220m
211 70 96	127	0,361	E (J)	2893	2611	2356	2114	1896	1695	1511	RZR (m)	172	1,4	4,0	2,3	-4,2	-16,0	-33,7	
DOPPELKERN	9,1	600	V (m/s)	800	752	706	661	618	577	538	⊕	100m	-0,3	⊕	-4,6	-14,8	-31,5	-55,6	180m
231 43 52	140	0,305	E (J)	2912	2573	2268	1988	1738	1515	1317	RZR (m)	161	1,7	4,0	1,4	-6,9	-21,6	-43,7	
6,5 x 57 R																			
EVOLUTION GREEN ●	6,0	600	V (m/s)	920	868	818	771	726	681	638	⊕	100m	-0,9	⊕	-2,8	-9,7	-21,3	-38,2	220m
240 14 07	93	0,309	E (J)	2539	2260	2007	1783	1581	1391	1221	RZR (m)	187	1,1	4,0	3,2	-1,7	-11,2	-26,1	
KEGELSPITZ	8,2	600	V (m/s)	800	759	720	682	645	609	574	⊕	100m	-0,4	⊕	-4,4	-14,0	-29,6	-51,8	210m
211 71 50	127	0,361	E (J)	2624	2362	2125	1907	1706	1521	1351	RZR (m)	164	1,6	4,0	1,6	-6,0	-19,6	-39,8	
DOPPELKERN	9,1	600	V (m/s)	760	713	668	625	584	544	506	⊕	100m	-0,1	⊕	-5,4	-17,1	-36,1	-63,3	160m
211 71 18	140	0,305	E (J)	2628	2313	2030	1777	1552	1347	1165	RZR (m)	154	1,9	4,0	0,6	-9,1	-26,1	-51,3	











Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle



Warning - Fire or projection hazard.
The information on the product label must always be followed.

6,5 x 65 R RWS



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm / BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
KEGELSPITZ	8,2	600	V (m/s)	860	817	776	736	698	660	624	⊕	100m	-0,7	⊕	-3,4	-11,4	-24,4	-43,0	250m
211 69 87	127	0,361	E (J)	3032	2737	2469	2221	1998	1786	1596	RZR (m)	177	1,4	4,0	2,6	-3,3	-14,3	-30,9	

6,5 x 68



EVOLUTION GREEN ●	6,0	650	V (m/s)	1110	1051	997	948	898	847	796	⊕	100m	-1,4	⊕	-1,1	-4,9	-11,7	-22,0	280m
231 88 67	93	0,313	E (J)	3696	3314	2982	2696	2419	2152	1901	RZR (m)	219	0,3	3,4	4,0	1,9	-3,3	-11,9	
KEGELSPITZ	8,2	650	V (m/s)	1030	964	900	840	782	727	673	⊕	100m	-1,2	⊕	-1,9	-7,2	-16,6	-30,6	260m
211 72 15	127	0,260	E (J)	2546	2230	1944	1693	1468	1268	1087	RZR (m)	205	0,8	3,9	4,0	-0,6	-6,8	-18,8	

.270 Win.



EVOLUTION GREEN ●	6,2	600	V (m/s)	1080	1018	959	903	849	798	748	⊕	100m	-1,3	⊕	-1,4	-5,7	-13,5	-25,1	270m
231 88 62	96	0,292	E (J)	3616	3213	2851	2528	2234	1974	1734	RZR (m)	213	0,5	3,6	4,0	1,4	-4,6	-14,4	
SPEED TIP PRO	9,1	600	V (m/s)	925	890	856	825	795	764	734	⊕	100m	-1,0	⊕	-2,4	-8,4	-18,3	-32,3	270m
240 74 32	140	0,459	E (J)	3893	3604	3334	3097	2876	2656	2451	RZR (m)	197	1,1	4,0	3,6	-0,4	-8,2	-20,3	
KEGELSPITZ	9,7	600	V (m/s)	896	850	806	764	722	682	643	⊕	100m	-0,8	⊕	-3,0	-10,2	-22,1	-39,3	270m
211 72 82	150	0,345	E (J)	3894	3504	3151	2831	2528	2256	2005	RZR (m)	184	1,2	4,0	3,1	-2,1	-12,0	-27,1	
EVOLUTION	10,0	600	V (m/s)	830	785	742	700	660	621	583	⊕	100m	-0,5	⊕	-4,0	-12,9	-27,5	-48,5	270m
231 59 72	154	0,335	E (J)	3445	3081	2753	2450	2178	1928	1699	RZR (m)	169	1,5	4,0	2,1	-4,9	-17,5	-36,5	

7 x 57



ID CLASSIC	10,5	600	V (m/s)	810	765	721	678	637	598	560	⊕	100m	-0,4	⊕	-4,3	-14,0	-29,8	-52,4	200m
211 85 13	162	0,325	E (J)	3445	3072	2729	2413	2130	1877	1646	RZR (m)	164	1,6	4,0	1,7	-6,0	-19,8	-40,4	

7 x 57 R



EVOLUTION GREEN ●	8,2	600	V (m/s)	830	792	755	718	683	649	616	⊕	100m	-0,5	⊕	-3,8	-12,3	-26,1	-45,7	220m
231 85 44	127	0,392	E (J)	2824	2572	2337	2114	1913	1727	1556	RZR (m)	171	1,4	4,0	2,2	-4,4	-16,2	-33,8	
ID CLASSIC	11,5	600	V (m/s)	730	691	653	616	581	547	514	⊕	100m	0,1	⊕	-5,8	-18,1	-37,7	-65,5	170m
211 85 72	177	0,356	E (J)	3064	2746	2452	2182	1941	1720	1519	RZR (m)	151	2,1	4,0	0,2	-10,1	-27,7	-53,5	
KEGELSPITZ	10,5	600	V (m/s)	760	722	686	651	617	584	552	⊕	100m	-0,1	⊕	-5,1	-15,9	-33,3	-57,8	180m
211 85 48	162	0,381	E (J)	3032	2737	2471	2225	1999	1791	1600	RZR (m)	157	1,8	4,0	0,9	-8,0	-23,3	-45,8	

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Warning - Fire or projection hazard.
The information on the product label must always be followed.

7 MM REM. MAG.



BULLET ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
EVOLUTION GREEN ●	8,2	650	V (m/s)	1010	966	924	883	843	804	767	⊕	100m	-1,2	⊕	-1,7	-6,5	-14,8	-26,9	✓ ✓ ✓ ✓
231 85 45	127	0,392	E (J)	4182	3826	3500	3197	2914	2650	2412	RZR (m)	210	0,7	3,8	4,0	1,1	-5,3	-15,5	
HIT ●	9,1	650	V (m/s)	940	900	861	824	787	752	717	⊕	100m	-1,0	⊕	-2,3	-8,3	-18,2	-32,4	✓ ✓ ✓ ✓ ✓ 240m
231 88 48	140	0,409	E (J)	4020	3686	3373	3089	2818	2573	2339	RZR (m)	198	1,0	4,0	3,7	-0,2	-8,1	-20,3	
SPEED TIP PRO	9,7	650	V (m/s)	950	916	882	850	819	789	758	⊕	100m	-1,0	⊕	-2,1	-7,6	-16,8	-29,9	✓ ✓ ✓ ✓ +300m
240 70 07	150	0,479	E (J)	4377	4069	3773	3504	3253	3019	2787	RZR (m)	204	1,0	4,0	3,9	0,4	-6,7	-17,8	
EVOLUTION	10,3	650	V (m/s)	870	831	794	757	721	686	653	⊕	100m	-0,7	⊕	-3,2	-10,6	-22,8	-40,2	✓ ✓ ✓ ✓ 280m
231 65 30	159	0,399	E (J)	3898	3556	3247	2951	2677	2424	2196	RZR (m)	181	1,3	4,0	2,9	-2,5	-12,7	-28,1	
KEGELSPITZ	10,5	650	V (m/s)	890	849	809	770	732	696	660	⊕	100m	-0,8	⊕	-3,0	-10,1	-21,7	-38,5	✓ ✓ ✓ ✓ 250m
211 85 05	162	0,381	E (J)	4159	3784	3436	3113	2813	2543	2287	RZR (m)	184	1,2	4,0	3,0	-2,1	-11,7	-26,5	
ID CLASSIC	11,5	650	V (m/s)	840	798	757	717	678	640	604	⊕	100m	-0,6	⊕	-3,7	-12,2	-26,1	-45,9	✓ ✓ ✓ ✓ 230m
211 84 91	177	0,356	E (J)	4057	3662	3295	2956	2643	2355	2098	RZR (m)	172	1,4	4,0	2,3	-4,2	-16,0	-33,9	

7 x 64



BULLET ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC	0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
KEGELSPITZ	8,0	600	V (m/s)	965	908	854	801	751	702	655	⊕	100m	-1,0	⊕	-2,4	-8,6	-19,1	-34,6	✓ ✓ ✓ 260m
211 75 68	123	0,290	E (J)	3725	3298	2917	2566	2256	1971	1716	RZR (m)	195	1,0	4,0	3,7	-0,5	-9,1	-22,6	
EVOLUTION GREEN ●	8,2	600	V (m/s)	950	908	868	828	790	753	716	⊕	100m	-1,0	⊕	-2,2	-8,1	-17,8	-31,9	✓ ✓ ✓ 270m
231 83 21	127	0,392	E (J)	3700	3380	3089	2811	2559	2325	2102	RZR (m)	199	1,0	4,0	3,8	-0,1	-7,8	-19,9	
HIT ●	9,1	600	V (m/s)	900	861	824	787	752	717	683	⊕	100m	-0,8	⊕	-2,8	-9,5	-20,6	-36,4	✓ ✓ ✓ ✓ ✓ 230m
231 88 46	140	0,409	E (J)	3673	3362	3079	2809	2565	2331	2116	RZR (m)	188	1,2	4,0	3,3	-1,5	-10,5	-24,4	
SPEED TIP PRO	9,7	600	V (m/s)	930	896	863	832	802	771	741	⊕	100m	-1,0	⊕	-2,3	-8,2	-17,9	-31,7	✓ ✓ ✓ ✓ 300m
240 70 06	150	0,479	E (J)	4195	3894	3612	3357	3120	2883	2663	RZR (m)	199	1,0	4,0	3,7	-0,1	-7,8	-19,6	
EVOLUTION	10,3	600	V (m/s)	855	817	779	743	708	673	640	⊕	100m	-0,7	⊕	-3,4	-11,2	-23,9	-42,1	✓ ✓ ✓ ✓ ✓ 270m
231 54 31	159	0,399	E (J)	3765	3438	3125	2843	2582	2333	2109	RZR (m)	177	1,3	4,0	2,6	-3,2	-14,0	-30,1	
KEGELSPITZ	10,5	600	V (m/s)	850	810	771	733	697	661	627	⊕	100m	-0,6	⊕	-3,5	-11,6	-24,7	-43,5	✓ ✓ ✓ ✓ 250m
211 84 75	162	0,381	E (J)	3793	3445	3121	2821	2550	2294	2064	RZR (m)	175	1,4	4,0	2,5	-3,6	-14,7	-31,5	
ID CLASSIC	10,5	600	V (m/s)	865	818	772	728	685	644	604	⊕	100m	-0,7	⊕	-3,5	-11,6	-24,9	-44,2	✓ ✓ ✓ ✓ 250m
211 85 80	162	0,325	E (J)	3928	3513	3129	2782	2463	2177	1915	RZR (m)	175	1,3	4,0	2,5	-3,6	-15,0	-32,2	
ID CLASSIC	11,5	600	V (m/s)	820	778	738	698	660	623	588	⊕	100m	-0,5	⊕	-4,0	-13,1	-27,8	-48,9	✓ ✓ ✓ ✓ 220m
211 85 99	177	0,356	E (J)	3866	3480	3132	2801	2505	2232	1988	RZR (m)	168	1,5	4,0	2,0	-5,1	-17,8	-36,9	

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Manufacturer: RWS GmbH / Kronacher Straße 63 / 90765 Fürth / www.rws-technology.com rws-ammunition.com

Warning - Fire or projection hazard.
The information on the product label must always be followed.

7 x 65 R



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m							Recommended Effective Range
KEGELSPITZ	8,0	600	V (m/s)	925	870	817	766	716	669	624	⊕	100m	-0,9	⊕	-2,8	-9,8	-21,6	-38,9		✓	✓	✓			220m
211 76 30	123	0,290	E (J)	3423	3028	2670	2347	2051	1790	1558	RZR (m)	186	1,1	4,0	3,2	-1,8	-11,6	-26,8							
EVOLUTION GREEN ●	8,2	600	V (m/s)	910	869	830	792	754	718	683	⊕	100m	-0,9	⊕	-2,7	-9,3	-20,2	-35,9		✓	✓	✓			240m
231 83 22	127	0,392	E (J)	3395	3096	2824	2572	2331	2114	1913	RZR (m)	189	1,1	4,0	3,3	-1,3	-10,3	-24,0							
HIT ●	9,1	600	V (m/s)	850	813	776	741	707	673	640	⊕	100m	-0,6	⊕	-3,4	-11,3	-24,2	-42,4	✓	✓	✓	✓	✓		220m
231 88 47	140	0,409	E (J)	3277	2997	2731	2490	2267	2054	1858	RZR (m)	176	1,3	4,0	2,5	-3,4	-14,2	-30,5							
EVOLUTION	10,3	600	V (m/s)	810	770	731	693	657	621	587	⊕	100m	-0,4	⊕	-4,2	-13,5	-28,4	-49,8		✓	✓	✓	✓	✓	220m
231 54 32	159	0,369	E (J)	3379	3053	2752	2473	2223	1986	1775	RZR (m)	166	1,6	4,0	1,8	-5,5	-18,5	-37,9							
KEGELSPITZ	10,5	600	V (m/s)	820	781	743	706	670	635	602	⊕	100m	-0,5	⊕	-4,0	-12,9	-27,2	-47,7		✓	✓	✓	✓		220m
211 84 83	162	0,381	E (J)	3530	3202	2898	2617	2357	2117	1903	RZR (m)	169	1,5	4,0	2,1	-4,8	-17,2	-35,7							
ID CLASSIC	11,5	600	V (m/s)	810	769	728	689	651	615	580	⊕	100m	-0,4	⊕	-4,2	-13,6	-28,8	-50,5		✓	✓	✓	✓		200m
211 86 10	177	0,356	E (J)	3773	3400	3047	2730	2437	2175	1934	RZR (m)	166	1,6	4,0	1,8	-5,6	-18,7	-38,4							

.308 WIN.



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m							Recommended Effective Range
EVOLUTION GREEN ●	9,0	600	V (m/s)	885	836	789	745	702	659	618	⊕	100m	-0,7	⊕	-3,2	-10,8	-23,4	-41,7		✓	✓	✓			240m
240 86 44	139	0,318	E (J)	3525	3145	2801	2498	2218	1954	1719	RZR (m)	180	1,3	4,0	2,8	-2,8	-13,4	-29,7							
EVO GREEN SHORT RIFLE ● ●	9,0	500	V (m/s)	900	852	806	761	717	676	636	⊕	100m	-0,8	⊕	-3,0	-10,2	-22,2	-39,6		✓	✓	✓			-300m
241 17 83	139	0,332	E (J)	3645	3267	2923	2606	2313	2056	1820	RZR (m)	184	1,2	4,0	3,1	-2,1	-12,1	-27,5							
KEGELSPITZ	9,7	600	V (m/s)	850	799	750	703	657	613	572	⊕	100m	-0,6	⊕	-3,8	-12,6	-27,0	-48,1		✓	✓	✓	✓		230m
211 77 03	150	0,298	E (J)	3504	3096	2728	2397	2093	1822	1587	RZR (m)	171	1,4	4,0	2,3	-4,5	-16,9	-36,0							
ID CLASSIC	9,7	600	V (m/s)	860	810	761	714	669	625	583	⊕	100m	-0,6	⊕	-3,6	-12,1	-26,0	-46,2		✓	✓	✓	✓		230m
211 77 11	150	0,303	E (J)	3587	3182	2809	2473	2171	1895	1648	RZR (m)	173	1,4	4,0	2,4	-4,0	-16,0	-34,2							
HIT SHORT RIFLE ● ●	9,7	500	V (m/s)	870	830	791	753	716	680	646	⊕	100m	-0,7	⊕	-3,2	-10,7	-23,1	-40,7		✓	✓	✓	✓		210m
240 66 15	150	0,386	E (J)	3671	3341	3035	2750	2486	2243	2024	RZR (m)	180	1,3	4,0	2,8	-2,7	-13,0	-28,7							
HIT ●	10,7	600	V (m/s)	820	785	750	716	683	651	620	⊕	100m	-0,5	⊕	-3,9	-12,5	-26,4	-46,1		✓	✓	✓	✓		170m
231 88 45	165	0,420	E (J)	3597	3297	3009	2743	2496	2267	2057	RZR (m)	170	1,5	4,0	2,1	-4,5	-16,5	-34,2							
DRIVEN HUNT ●	10,7	600	V (m/s)	765	689	618	550	488	433	388	⊕	100m	0,1	⊕	-6,6	-21,3	-46,5	-85,0		✓	✓	✓			150m
242 62 67	165	0,187	E (J)	3131	2540	2043	1618	1274	1003	805	RZR (m)	145	2,1	4,0	-0,6	-13,4	-36,6	-73,1							
DRIVEN HUNT SH. RIFLE ● ●	9,7	500	V (m/s)	812	726	645	566	492	433	383	⊕	100m	-0,2	⊕	-5,8	-19,4	-43,3	-80,5		✓	✓	✓			150m
242 83 06	150	0,169	E (J)	3198	2556	2018	1554	1174	909	711	RZR (m)	149	1,8	4,0	0,2	-11,3	-33,3	-68,5							
SPEED TIP PRO	10,7	600	V (m/s)	830	794	760	726	692	659	627	⊕	100m	-0,6	⊕	-3,7	-12,0	-25,5	-44,7		✓	✓	✓	✓		270m
240 12 26	165	0,422	E (J)	3686	3373	3090	2820	2562	2323	2103	RZR (m)	173	1,5	4,0	2,4	-4,0	-15,4	-32,6							
SPEED TIP PRO SHORT RIFLE ●	10,7	500	V (m/s)	830	794	760	726	693	661	630	⊕	100m	-0,6	⊕	-3,7	-12,0	-25,5	-44,6		✓	✓	✓	✓		270m
240 66 16	165	0,421	E (J)	3686	3373	3090	2820	2569	2338	2123	RZR (m)	173	1,5	4,0	2,3	-4,0	-15,5	-32,5							
DOPPELKERN	10,7	600	V (m/s)	800	750	702	656	611	569	528	⊕	100m	-0,3	⊕	-4,7	-15,1	-32,1	-56,6		✓	✓	✓	✓		190m
211 79 08	165	0,293	E (J)	3424	3009	2637	2302	1997	1732	1491	RZR (m)	160	1,7	4,0	1,3	-7,1	-22,2	-44,8							

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Manufacturer: RWS GmbH / Kronacher Straße 63 / 90765 Fürth / www.rws-technology.com rws-ammunition.com

Warning - Fire or projection hazard.
The information on the product label must always be followed.

.308 Win.



BULLET ITEM NUMBER	WEIGHT Grams g Grains gr	Barrel Length mm BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommend-ed Effective Range
UNI CLASSIC	11,7	600	V (m/s)	770	729	689	651	614	578	543	⊕	100m	-0,2	⊕	-5,0	-15,8	-33,1	-57,7	180m
211 91 96	181	0,350	E (J)	3468	3109	2777	2479	2205	1954	1725	RZR (m)	158	1,8	4,0	1,0	-7,7	-23,0	-45,7	
EVOLUTION	11,9	600	V (m/s)	750	711	674	638	602	569	536	⊕	100m	-0,1	⊕	-5,3	-16,7	-34,9	-60,6	270m
231 54 34	184	0,366	E (J)	3347	3008	2703	2422	2156	1926	1709	RZR (m)	155	1,9	4,0	0,7	-8,7	-24,8	-48,6	

.30-06 SPRINGFIELD



EVOLUTION GREEN ●	9,0	600	V (m/s)	875	826	780	736	693	651	610	⊕	100m	-0,7	⊕	-3,3	-11,2	-24,2	-43,0	260m
240 86 42	139	0,318	E (J)	3445	3070	2738	2438	2161	1907	1674	RZR (m)	175	1,3	4,0	2,7	-3,2	-14,2	-31,0	
EVO GREEN SHORT RIFLE ● ●	9,0	500	V (m/s)	881	835	791	748	706	666	627	⊕	100m	-0,7	⊕	-3,2	-10,8	-23,3	-41,3	-300m
241 17 85	139	0,338	E (J)	3493	3138	2816	2518	2243	1996	1769	RZR (m)	167	1,3	4,0	2,8	-2,7	-13,2	-29,3	
KEGELSPITZ	9,7	600	V (m/s)	900	847	796	747	700	655	611	⊕	100m	-0,8	⊕	-3,1	-10,6	-23,1	-41,3	230m
211 77 70	150	0,298	E (J)	3929	3479	3073	2706	2377	2081	1811	RZR (m)	181	1,2	4,0	2,9	-2,6	-13,1	-29,3	
ID CLASSIC	9,7	600	V (m/s)	915	862	812	763	716	671	627	⊕	100m	-0,8	⊕	-2,9	-10,0	-21,9	-39,2	250m
211 77 97	150	0,303	E (J)	4061	3604	3198	2824	2486	2184	1907	RZR (m)	185	1,2	4,0	3,2	-1,9	-11,8	-27,2	
DRIVEN HUNT ●	10,7	600	V (m/s)	810	731	657	584	515	457	407	⊕	100m	-0,2	⊕	-5,5	-18,3	-40,6	-74,8	150m
242 62 74	165	0,185	E (J)	3510	2859	2309	1825	1419	1117	886	RZR (m)	152	1,8	4,0	0,5	-10,3	-30,5	-62,7	
DRIVEN HUNT SH. RIFLE ● ●	9,7	500	V (m/s)	821	734	653	573	499	439	388	⊕	100m	-0,2	⊕	-5,6	-18,8	-42,1	-78,2	200m
242 83 13	150	0,169	E (J)	3269	2613	2068	1592	1208	935	730	RZR (m)	151	1,8	4,0	0,4	-10,7	-32,0	-66,1	
HIT ●	10,7	600	V (m/s)	840	804	769	734	701	668	636	⊕	100m	-0,6	⊕	-3,6	-11,7	-24,8	-43,4	200m
231 88 43	165	0,420	E (J)	3775	3458	3164	2882	2629	2387	2164	RZR (m)	175	1,4	4,0	2,5	-3,6	-14,7	-31,3	
HIT SHORT RIFLE ● ●	10,7	500	V (m/s)	840	804	769	734	701	668	636	⊕	100m	-0,6	⊕	-3,6	-11,7	-24,8	-43,4	200m
240 84 72	165	0,420	E (J)	3775	3458	3164	2882	2629	2387	2164	RZR (m)	173	1,3	3,9	2,3	-3,9	-15,0	-31,7	
KEGELSPITZ	10,7	600	V (m/s)	860	813	769	725	683	642	603	⊕	100m	-0,6	⊕	-3,5	-11,7	-25,2	-44,6	220m
211 78 00	165	0,329	E (J)	3957	3536	3164	2812	2496	2205	1945	RZR (m)	175	1,4	4,0	2,5	-3,6	-15,1	-32,5	
DOPPELKERN	10,7	600	V (m/s)	855	803	753	705	658	614	571	⊕	100m	-0,6	⊕	-3,7	-12,4	-26,8	-47,7	200m
211 78 51	165	0,293	E (J)	3911	3450	3033	2659	2316	2017	1744	RZR (m)	171	1,4	4,0	2,2	-4,4	-16,8	-35,7	
SPEED TIP PRO	10,7	600	V (m/s)	870	833	798	763	730	697	665	⊕	100m	-0,7	⊕	-3,1	-10,5	-22,4	-39,4	+300m
240 12 06	165	0,422	E (J)	4049	3712	3407	3115	2851	2599	2366	RZR (m)	182	1,3	4,0	2,9	-2,4	-12,3	-27,3	
SPEED TIP PRO SHORT RIFLE ●	10,7	500	V (m/s)	870	832	795	758	723	689	655	⊕	100m	-0,7	⊕	-3,2	-10,6	-22,7	-40,0	+300m
240 84 73	165	0,405	E (J)	4049	3703	3381	3074	2797	2540	2295	RZR (m)	179	1,2	3,9	2,7	-2,8	-13,0	-28,3	
UNI CLASSIC	11,7	600	V (m/s)	820	778	736	696	658	620	584	⊕	100m	-0,5	⊕	-4,1	-13,2	-28,0	-49,2	220m
211 92 18	181	0,350	E (J)	3934	3541	3169	2834	2533	2249	1995	RZR (m)	167	1,5	4,0	1,9	-5,3	-18,1	-37,3	
EVOLUTION	11,9	600	V (m/s)	810	770	730	692	655	620	585	⊕	100m	-0,4	⊕	-4,2	-13,5	-28,5	-50,0	240m
231 54 35	184	0,366	E (J)	3904	3528	3171	2849	2553	2287	2036	RZR (m)	166	1,6	4,0	1,8	-5,5	-18,6	-38,0	
UNI CLASSIC	13,0	600	V (m/s)	770	732	695	660	625	592	560	⊕	100m	-0,2	⊕	-4,9	-15,4	-32,2	-56,0	170m
231 47 03	201	0,380	E (J)	3854	3483	3140	2831	2539	2278	2038	RZR (m)	159	1,8	4,0	1,1	-7,4	-22,2	-44,0	

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Manufacturer: RWS GmbH / Kronacher Straße 63 / 90765 Fürth / www.rws-technology.com rws-ammunition.com

Warning - Fire or projection hazard.
The information on the product label must always be followed.

.30 R BLASER



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
EVOLUTION GREEN ●	9,0	600	V (m/s)		933	882	834	789	745	701	658	⊕	100m	-0,9	⊕	-2,6	-9,2	-20,1	-36,1	280m
240 86 46	139	0,319	E (J)		3917	3501	3130	2801	2498	2211	1948	RZR (m)	190	1,1	4,0	3,4	-1,1	-10,0	-24,0	
DOPPELKERN	10,7	600	V (m/s)		870	817	767	718	671	626	583	⊕	100m	-0,7	⊕	-3,5	-11,8	-25,6	-45,6	210m
211 78 94	165	0,293	E (J)		4049	3571	3147	2758	2409	2097	1818	RZR (m)	174	1,3	4,0	2,5	-3,8	-15,6	-33,7	
UNI CLASSIC	11,7	600	V (m/s)		860	816	774	733	693	654	617	⊕	100m	-0,7	⊕	-3,4	-11,5	-24,6	-43,5	240m
211 78 35	181	0,350	E (J)		4327	3895	3505	3143	2809	2502	2227	RZR (m)	176	1,4	4,0	2,6	-3,4	-14,6	-31,4	
EVOLUTION	11,9	600	V (m/s)		840	799	759	720	682	645	610	⊕	100m	-0,6	⊕	-3,7	-12,1	-25,8	-45,5	270m
231 61 40	184	0,366	E (J)		4198	3798	3428	3084	2767	2475	2214	RZR (m)	172	1,4	4,0	2,3	-4,2	-15,9	-33,5	

.300 WIN. MAG.



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
EVOLUTION GREEN ●	9,0	650	V (m/s)		1014	961	911	865	819	773	729	⊕	100m	-1,2	⊕	-1,8	-6,8	-15,6	-28,4	300m
240 86 43	139	0,326	E (J)		4627	4156	3735	3367	3018	2689	2391	RZR (m)	208	0,8	3,8	4,0	0,8	-5,9	-16,9	
DRIVEN HUNT ●	10,7	650	V (m/s)		924	829	740	656	577	505	442	⊕	100m	-0,7	⊕	-3,8	-13,4	-30,4	-57,3	150m
242 62 75	165	0,165	E (J)		4568	3677	2930	2302	1781	1364	1045	RZR (m)	168	1,3	4,0	2,2	-5,3	-20,4	-45,3	
HIT ●	10,7	650	V (m/s)		950	911	873	837	801	766	733	⊕	100m	-1,0	⊕	-2,2	-7,9	-17,4	-31,2	300m
231 88 44	165	0,420	E (J)		4828	4440	4077	3748	3433	3139	2874	RZR (m)	201	1,0	4,0	3,8	0,1	-7,4	-19,1	
HIT SHORT RIFLE ● ●	10,7	500	V (m/s)		950	911	873	836	800	765	731	⊕	100m	-1,0	⊕	-2,2	-7,9	-17,5	-31,2	+300m
240 84 74	165	0,420	E (J)		4828	4440	4077	3739	3424	3131	2859	RZR (m)	199	0,9	3,9	3,7	-0,1	-7,7	-19,4	
KEGELSPITZ	10,7	650	V (m/s)		920	871	824	779	735	693	652	⊕	100m	-0,9	⊕	-2,7	-9,5	-20,9	-37,3	270m
211 76 49	165	0,329	E (J)		4528	4059	3633	3247	2890	2569	2274	RZR (m)	188	1,1	4,0	3,3	-1,5	-10,8	-25,3	
DOPPELKERN	10,7	650	V (m/s)		940	885	832	780	731	684	638	⊕	100m	-0,9	⊕	-2,6	-9,3	-20,5	-37,1	240m
211 78 78	165	0,293	E (J)		4727	4190	3703	3255	2859	2503	2178	RZR (m)	189	1,1	4,0	3,4	-1,3	-10,6	-25,1	
SPEED TIP PRO	10,7	650	V (m/s)		978	935	893	854	816	777	739	⊕	100m	-1,1	⊕	-2,0	-7,3	-16,3	-29,4	+300m
240 12 20	165	0,386	E (J)		5117	4677	4266	3902	3562	3230	2922	RZR (m)	206	0,9	4,0	4,0	0,6	-6,4	-17,5	
UNI CLASSIC	11,7	650	V (m/s)		910	865	821	778	737	697	658	⊕	100m	-0,9	⊕	-2,8	-9,6	-21,0	-37,4	300m
211 76 57	181	0,350	E (J)		4844	4377	3943	3541	3178	2842	2533	RZR (m)	187	1,1	4,0	3,2	-1,6	-11,0	-25,4	
EVOLUTION	11,9	650	V (m/s)		900	857	815	774	735	697	660	⊕	100m	-0,8	⊕	-2,9	-9,8	-21,4	-37,9	300m
231 54 33	184	0,366	E (J)		4820	4370	3952	3565	3214	2891	2592	RZR (m)	186	1,2	4,0	3,2	-1,8	-11,3	-25,8	

.300 WSM



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
EVOLUTION	11,9	600	V (m/s)		880	837	796	756	717	680	643	⊕	100m	-0,7	⊕	-3,1	-10,5	-22,8	-40,3	300m
231 57 41	184	0,366	E (J)		4608	4168	3770	3401	3059	2751	2460	RZR (m)	181	1,2	4,0	2,9	-2,6	-12,8	-28,3	

8 x 57 JS



BULLET / ITEM NUMBER	WEIGHT Grams g / Grains gr	Barrel Length mm	BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
EVOLUTION GREEN ●	9,0	600	V (m/s)		920	871	824	778	734	691	650	⊕	100m	-0,9	⊕	-2,7	-9,5	-20,9	-37,4	250m
231 83 27	139	0,327	E (J)		3809	3414	3055	2724	2424	2149	1901	RZR (m)	188	1,1	4,0	3,3	-1,5	-10,8	-25,3	
SPEED TIP PRO	11,7	600	V (m/s)		770	733	698	664	630	598	567	⊕	100m	-0,2	⊕	-4,8	-15,2	-31,8	-55,3	270m
241 00 16	180	0,394	E (J)		3458	3134	2842	2572	2315	2086	1875	RZR (m)	153	1,8	4,0	1,2	-7,2	-21,8	-43,2	
DRIVEN HUNT ●	10,4	600	V (m/s)		783	699	621	548	481	421	372	⊕	100m	0,0	⊕	-6,4	-21,1	-46,6	-86,2	100m
242 89 47	160	0,170	E (J)		3188	2541	2005	1562	1203	922	720	RZR (m)	146	2,0	4,0	-0,5	-13,2	-36,6	-74,2	

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels. When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2. BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Manufacturer: RWS GmbH / Kronacher Straße 63 / 90765 Fürth / www.rws-technology.com

rws-ammunition.com



Warning - Fire or projection hazard.
The information on the product label must always be followed.

BULLET ITEM NUMBER	WEIGHT Gramms g Grains gr	Barrel Length mm BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommend-ed Effective Range
SPEED TIP PRO SHORT RIFLE ●	11,7	500	V (m/s)	765	728	693	659	627	594	563	⊕	100m	-0,2	⊕	-4,9	-15,5	-32,3	-56,1	300m
241 18 67	180	0,393	E (J)	3424	3100	2809	2541	2300	2064	1854	RZR (m)	155	1,8	4,0	1,0	-7,6	-22,4	-44,2	
HIT ●	10,4	600	V (m/s)	830	786	744	704	666	628	592	⊕	100m	-0,5	⊕	-3,9	-12,8	-27,2	-47,9	150m
231 92 08	160	0,338	E (J)	3572	3203	2870	2570	2300	2045	1817	RZR (m)	170	1,5	4,0	2,1	-4,7	-17,1	-35,7	
HIT SHORT RIFLE ● ●	10,4	500	V (m/s)	835	791	748	708	670	632	596	⊕	100m	-0,5	⊕	-3,9	-12,6	-26,8	-47,2	190m
240 84 75	160	0,338	E (J)	3615	3244	2901	2599	2328	2071	1842	RZR (m)	169	1,4	3,9	2,0	-4,8	-17,1	-35,5	
ID CLASSIC	12,8	600	V (m/s)	775	735	696	658	622	587	553	⊕	100m	-0,2	⊕	-4,8	-15,4	-32,2	-56,2	180m
211 92 26	198	0,360	E (J)	3844	3457	3100	2771	2476	2205	1957	RZR (m)	159	1,8	4,0	1,1	-7,4	-22,3	-44,3	
EVOLUTION	13,0	600	V (m/s)	745	705	666	628	592	557	523	⊕	100m	0,0	⊕	-5,5	-17,3	-36,0	-62,7	210m
231 62 01	201	0,350	E (J)	3608	3231	2883	2563	2278	2017	1778	RZR (m)	153	2,0	4,0	0,5	-9,3	-26,1	-50,8	
EVOLUTION GREEN ●	9,0	600	V (m/s)	865	818	773	729	686	645	606	⊕	100m	-0,7	⊕	-3,4	-11,5	-24,8	-44,0	240m
231 83 26	139	0,327	E (J)	3367	3011	2689	2391	2118	1872	1653	RZR (m)	176	1,4	4,0	2,6	-3,4	-14,7	-31,9	
HIT ●	10,4	600	V (m/s)	805	762	719	677	636	597	560	⊕	100m	-0,4	⊕	-4,4	-14,1	-29,9	-52,7	130m
231 92 07	160	0,338	E (J)	3360	3011	2680	2376	2097	1848	1626	RZR (m)	164	1,6	4,0	1,7	-6,0	-19,8	-40,6	
SPEED TIP PRO	11,7	600	V (m/s)	745	709	674	641	608	576	545	⊕	100m	-0,1	⊕	-5,3	-16,7	-34,6	-60,0	270m
241 00 15	180	0,394	E (J)	3237	2932	2650	2396	2156	1935	1732	RZR (m)	149	1,9	4,0	0,7	-8,7	-24,6	-48,0	
ID CLASSIC	12,8	600	V (m/s)	750	711	673	636	600	566	533	⊕	100m	-0,1	⊕	-5,4	-16,8	-35,1	-61,0	160m
211 92 34	198	0,360	E (J)	3600	3235	2899	2589	2304	2050	1818	RZR (m)	154	1,9	4,0	0,6	-8,9	-25,2	-49,1	
EVOLUTION	13,0	600	V (m/s)	695	656	619	583	548	515	483	⊕	100m	0,4	⊕	-6,8	-20,8	-42,9	-74,4	200m
231 62 00	201	0,350	E (J)	3140	2797	2491	2209	1952	1724	1516	RZR (m)	145	2,4	4,0	-0,8	-12,8	-32,9	-62,4	
EVOLUTION GREEN ●	9,0	650	V (m/s)	1019	966	916	869	824	780	738	⊕	100m	-1,2	⊕	-1,7	-6,7	-15,3	-28,0	+300m
231 85 47	139	0,327	E (J)	4673	4199	3776	3398	3055	2738	2451	RZR (m)	213	0,8	4,0	4,3	1,3	-5,2	-15,9	
DRIVEN HUNT ●	10,4	650	V (m/s)	985	877	777	678	586	507	439	⊕	100m	-0,9	⊕	-3,2	-11,8	-27,8	-53,5	170m
242 89 59	160	0,152	E (J)	5045	3999	3139	2390	1786	1337	1002	RZR (m)	173	1,1	4,0	2,8	-3,8	-17,8	-41,5	
HIT ●	10,4	650	V (m/s)	970	921	873	828	785	742	700	⊕	100m	-1,1	⊕	-2,2	-7,9	-17,6	-31,8	270m
231 92 09	160	0,338	E (J)	4879	4398	3952	3555	3195	2855	2541	RZR (m)	201	1,0	4,0	3,9	0,1	-7,6	-19,7	
SPEED TIP PRO	11,7	650	V (m/s)	930	889	849	812	775	738	703	⊕	100m	-0,9	⊕	-2,5	-8,6	-18,9	-33,7	+300m
241 00 17	180	0,394	E (J)	5045	4610	4204	3846	3503	3177	2882	RZR (m)	181	1,1	4,0	3,6	-0,6	-8,8	-21,6	
KEGELSPITZ	11,7	650	V (m/s)	950	897	847	798	751	705	661	⊕	100m	-1,0	⊕	-2,4	-8,8	-19,4	-35,0	270m
211 81 49	181	0,310	E (J)	5280	4707	4197	3725	3299	2908	2556	RZR (m)	193	1,0	4,0	3,5	-0,8	-9,4	-23,1	
EVOLUTION	13,0	650	V (m/s)	895	850	807	765	724	684	646	⊕	100m	-0,8	⊕	-3,0	-10,1	-22,0	-39,1	300m
231 65 22	201	0,350	E (J)	5207	4696	4233	3804	3407	3041	2713	RZR (m)	184	1,2	4,0	3,1	-2,1	-11,9	-27,0	

8 x 57 JS



8 x 57 JRS



8 x 68 S



Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Warning - Fire or projection hazard.
The information on the product label must always be followed.

9,3 x 62



BULLET ITEM NUMBER	WEIGHT Grams g Grains gr	Barrel Length mm BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommended Effective Range
EVOLUTION GREEN ●	11,9	600	V (m/s)	900	849	801	754	708	665	623	⊕	100m	-0,8	⊕	-3,0	-10,4	-22,7	-40,5	240m
231 83 28	184	0,312	E (J)	4820	4289	3818	3383	2983	2631	2309	RZR (m)	182	1,2	4,0	3,0	-2,4	-12,7	-28,5	
DOPPELKERN	14,6	600	V (m/s)	805	750	697	646	598	552	508	⊕	100m	-0,3	⊕	-4,7	-15,4	-32,9	-58,6	180m
211 81 65	225	0,266	E (J)	4731	4106	3546	3046	2611	2224	1884	RZR (m)	160	1,7	4,0	1,3	-7,3	-22,8	-46,5	
KEGELSPITZ	16,0	600	V (m/s)	750	706	663	622	583	545	509	⊕	100m	0,0	⊕	-5,6	-17,5	-36,6	-64,1	180m
211 81 81	247	0,320	E (J)	4500	3987	3517	3095	2719	2376	2073	RZR (m)	153	2,0	4,0	0,5	-9,5	-26,6	-52,0	
DRIVEN HUNT SH. RIFLE ● ●	16,2	500	V (m/s)	704	654	607	560	516	475	438	⊕	100m	0,4	⊕	-7,1	-22,0	-46,2	-81,3	110m
243 07 81	250	0,273	E (J)	4014	3464	2984	2540	2157	1828	1554	RZR (m)	143	2,4	4,0	-1,1	-14,0	-36,2	-69,4	
DRIVEN HUNT ●	16,2	600	V (m/s)	690	641	594	548	504	465	429	⊕	100m	0,5	⊕	-7,5	-23,1	-48,6	-85,4	110m
243 07 79	250	0,273	E (J)	3856	3328	2858	2432	2058	1751	1491	RZR (m)	141	2,5	4,0	-1,5	-15,1	-38,6	-73,4	
HIT ●	16,2	500	V (m/s)	770	734	698	665	633	601	571	⊕	100m	-0,2	⊕	-4,8	-15,2	-31,7	-55,0	160m
231 94 68	250	0,395	E (J)	4804	4365	3948	3583	3247	2927	2642	RZR (m)	159	1,8	3,9	1,1	-7,3	-21,8	-43,1	
HIT SHORT RIFLE ● ●	16,2	500	V (m/s)	770	734	698	665	633	601	571	⊕	100m	-0,2	⊕	-4,8	-15,2	-31,7	-55,0	200m
240 84 76	250	0,395	E (J)	4804	4365	3948	3583	3247	2927	2642	RZR (m)	159	1,8	3,9	1,1	-7,3	-21,8	-43,1	
EVOLUTION	18,8	600	V (m/s)	690	656	624	592	561	531	503	⊕	100m	0,4	⊕	-6,7	-20,3	-41,8	-72,0	190m
231 54 36	290	0,400	E (J)	4475	4045	3660	3294	2958	2650	2378	RZR (m)	145	2,3	3,9	-0,7	-12,4	-31,9	-60,2	
UNI CLASSIC	19,0	600	V (m/s)	690	661	633	605	578	552	527	⊕	100m	0,3	⊕	-6,4	-19,6	-40,1	-68,7	160m
211 92 42	293	0,465	E (J)	4523	4151	3807	3477	3174	2895	2638	RZR (m)	147	2,3	4,0	-0,4	-11,6	-30,1	-56,6	

9,3 x 64



EVOLUTION GREEN ●	11,9	650	V (m/s)	970	917	866	816	769	723	679	⊕	100m	-1,0	⊕	-2,2	-8,2	-18,2	-33,0	300m
240 11 28	184	0,312	E (J)	5598	5003	4462	3962	3519	3110	2743	RZR (m)	198	1,0	4,0	3,8	-0,2	-8,2	-21,0	
UNI CLASSIC	19,0	650	V (m/s)	765	734	704	674	646	618	591	⊕	100m	-0,2	⊕	-4,7	-14,9	-30,9	-53,3	190m
211 92 50	293	0,465	E (J)	5560	5118	4708	4316	3965	3628	3318	RZR (m)	160	1,8	4,0	1,2	-7,0	-21,0	-41,5	

9,3 x 74 R



EVOLUTION GREEN ●	11,9	600	V (m/s)	885	835	787	740	695	652	611	⊕	100m	-0,7	⊕	-3,2	-10,9	-23,8	-42,4	240m
231 83 29	184	0,312	E (J)	4660	4148	3685	3258	2874	2529	2221	RZR (m)	179	1,3	4,0	2,8	-2,9	-13,7	-30,3	
KEGELSPITZ	16,0	600	V (m/s)	740	696	654	613	574	537	501	⊕	100m	0,0	⊕	-5,8	-18,1	-37,9	-66,2	160m
211 82 97	247	0,320	E (J)	4381	3875	3422	3006	2636	2307	2008	RZR (m)	151	2,0	4,0	0,2	-10,2	-28,0	-54,3	
HIT ●	16,2	600	V (m/s)	719	675	633	593	555	518	482	⊕	100m	0,2	⊕	-6,3	-19,6	-40,9	-71,4	150m
231 94 67	250	0,314	E (J)	4187	3691	3246	2848	2495	2173	1882	RZR (m)	148	2,2	4,0	-0,3	-11,6	-30,9	-59,3	
TEILMANTEL RUND	18,5	600	V (m/s)	680	637	596	556	518	482	449	⊕	100m	0,5	⊕	-7,4	-22,9	-47,4	-82,7	160m
211 82 70	286	0,309	E (J)	4277	3753	3286	2860	2482	2149	1865	RZR (m)	141	2,5	4,0	-1,5	-14,9	-37,5	-70,7	
EVOLUTION	18,8	600	V (m/s)	665	632	600	569	539	510	483	⊕	100m	0,6	⊕	-7,4	-22,4	-45,8	-78,7	180m
231 54 37	290	0,400	E (J)	4157	3755	3384	3043	2731	2445	2193	RZR (m)	141	2,5	3,9	-1,5	-14,5	-36,0	-66,9	
UNI CLASSIC	19,0	600	V (m/s)	675	646	618	591	565	539	514	⊕	100m	0,4	⊕	-6,9	-20,8	-42,3	-72,4	140m
211 92 77	293	0,465	E (J)	4328	3965	3628	3318	3033	2760	2510	RZR (m)	144	2,4	4,0	-0,9	-12,9	-32,5	-60,5	

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle

Manufacturer: RWS GmbH / Kronacher Straße 63 / 90765 Fürth / www.rws-technology.com rws-ammunition.com

Warning - Fire or projection hazard.
The information on the product label must always be followed.

BULLET ITEM NUMBER	WEIGHT Grammss g Grains gr	Barrel Length mm BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m	Recommend-ed Effective Range
SPEED TIP PRO	16,2	650	V (m/s)	875	847	821	795	769	743	718	⊕	100m	-0,8	⊕	-2,8	-9,6	-20,5	-35,8	+300m
240 38 63	250	0,566	E (J)	6202	5811	5460	5119	4790	4472	4176	RZR (m)	187	1,2	4,0	3,1	-1,6	-10,5	-23,8	
UNI CLASSIC	19,5	650	V (m/s)	780	737	695	654	615	578	542	⊕	100m	-0,2	⊕	-4,8	-15,5	-32,6	-57,0	140m
211 83 78	301	0,334	E (J)	5932	5296	4709	4170	3688	3257	2864	RZR (m)	159	1,8	4,0	1,2	-7,4	-22,5	-45,0	
HIT ●	13,0	650	V (m/s)	905	846	790	738	688	639	592	⊕	100m	-0,8	⊕	-3,2	-10,8	-23,7	-42,5	230m
240 42 55	201	0,268	E (J)	5324	4652	4057	3540	3077	2654	2278	RZR (m)	180	1,2	4,0	2,8	-2,8	-13,7	-30,6	
EVOLUTION GREEN ●	13,5	650	V (m/s)	900	842	788	736	685	636	588	⊕	100m	-0,8	⊕	-3,2	-10,9	-23,9	-42,9	300m
240 29 19	208	0,271	E (J)	5468	4786	4191	3656	3167	2730	2334	RZR (m)	179	1,2	4,0	2,8	-2,9	-13,9	-31,0	

.338 LAPUA MAG.



.375 H&H MAG.



10,3 x 68 MAG.



Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels. When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle


Manufacturer: RWS GmbH / Kronacher Straße 63 / 90765 Fürth / www.rws-technology.com rws-ammunition.com

Warning - Fire or projection hazard.
The information on the product label must always be followed.

RWS-AMMO.APP

Ammo advisor for your pocket.
A single click, and it's always by your side – add the RWS app directly to your home screen: rws-ammo.app

RWS-AMMO.APP ›



TARGET ELITE PLUS

MATCH CARTRIDGE

BULLET ITEM NUMBER	WEIGHT Grams g Grains gr	Barrel Length mm BC		0m	50m	100m	150m	200m	250m	300m	⊕ RZR*		50m	100m	150m	200m	250m	300m
.223 Rem.																		
SCORION	3,4	600	V (m/s)	1056	966	882	799	720	645	577	⊕	100m	-1,2	⊕	-2,0	-7,8	-18,5	-35,1
241 16 33	52	0,195	E (J)	1896	1586	1322	1085	881	707	566	RZR (m)	164m	0,8	4,0	4,0	0,2	-8,5	-23,1
SCORION	4,5	600	V (m/s)	855	800	747	693	643	596	553	⊕	100m	-0,6	⊕	-3,8	-12,8	-27,7	-49,6
241 18 68	69	0,276	E (J)	1645	1440	1256	1081	930	799	688	RZR (m)	169m	1,4	4,0	2,2	-4,8	-17,8	-37,7
SCORION	5,0	600	V (m/s)	785	746	708	672	637	602	569	⊕	100m	-0,3	⊕	-4,6	-14,6	-30,7	-53,6
240 38 68	77	0,373	E (J)	1541	1391	1253	1129	1014	906	809	RZR (m)	162m	1,7	4,0	1,4	-6,6	-20,7	-41,6
6,5 x 55 SE																		
SCORION	8,4	740	V (m/s)	830	803	776	749	723	698	673	⊕	100m	-0,1	⊕	-4,0	-12,3	-25,4	-43,4
240 97 61	130	0,548	E[J]	2895	2706	2528	2358	2198	2046	1903	RZR (m)	168m	1,8	3,8	1,8	-4,6	-15,7	-31,9
SCORION	9,3	740	V[m/s]	810	786	763	740	717	695	673	⊕	100m	-0,1	⊕	-4,2	-12,9	-26,3	-44,85
242 66 59	143	0,635	E[J]	3042	2866	2698	2538	2385	2240	2101	RZR (m)	178m	2,0	4,0	1,8	-4,9	-16,4	-32,9
.308 Win.																		
SCORION	10,0	600	V (m/s)	890	852	815	779	744	709	676	⊕	100m	-0,8	⊕	-2,9	-9,8	-21,2	-37,5
240 86 32	154	0,412	E (J)	3961	3630	3321	3034	2768	2513	2285	RZR (m)	184m	1,1	3,9	3,0	-2,0	-11,4	-25,7
SCORION	10,9	600	V (m/s)	810	776	743	711	680	649	620	⊕	100m	-0,5	⊕	-4,0	-12,8	-27,0	-47,0
240 38 67	168	0,438	E (J)	3576	3282	3009	2755	2520	2296	2095	RZR (m)	169m	1,5	4,0	2,0	-4,8	-16,9	-34,9
SCORION	12,3	650	V[m/s]	796	768	741	713	687	661	636	⊕	100m	-0,4	⊕	-4,0	-12,9	-27,0	-46,7
240 86 33	190	0,528	E[J]	3897	3627	3377	3126	2903	2687	2488	RZR (m)	167m	1,5	3,9	1,8	-5,1	-17,2	-35,0
.300 Win. Mag.																		
SCORION	11,3	650	V (m/s)	932	899	867	836	806	777	747	⊕	100m	-1,0	⊕	-2,3	-8,1	-17,6	-31,3
241 16 81	175	0,498	E (J)	4908	4566	4247	3949	3670	3411	3153	RZR (m)	188m	1,0	4,0	3,8	0,0	-7,6	-19,2
SCORION	12,3	650	V (m/s)	875	846	817	789	761	734	707	⊕	100m	-0,8	⊕	-2,9	-9,7	-20,8	-36,4
240 38 66	190	0,530	E (J)	4709	4402	4105	3829	3562	3313	3074	RZR (m)	186m	1,2	4,0	3,1	-1,7	-10,8	-24,4
.338 Lapua Mag.																		
SCORION	16,2	650	V (m/s)	860	836	812	789	764	741	719	⊕	100m	-0,7	⊕	-3,0	-9,9	-21,0	-36,6
241 16 80	250	0,639	E (J)	5991	5661	5341	5042	4728	4448	4187	RZR (m)	185m	1,3	4,0	3,0	-1,9	-11,0	-24,6
SCORION	19,4	650	V (m/s)	780	759	739	719	699	680	661	⊕	100m	-0,4	⊕	-4,1	-13,0	-26,9	-46,1
240 51 20	300	0,708	E (J)	5901	5588	5297	5015	4739	4485	4238	RZR (m)	168m	1,6	4,0	1,9	-4,9	-16,8	-34,0

Range of application is only a recommendation and is no substitute for personal experience. Our ballistic data were determined in test barrels.
When firing ammunition from typical sporting rifles, there may be variances from these data. Cartridge illustrations are at a scale of 1:2.
BC = Ballistic Coefficient | V = Velocity | E = Energy | RZR = Recommended Zero Range | ● = Lead-Free | ● = Short Rifle





CINESHOT
TRAINING




CALIBRE	ITEM NO.	GRAMM / GRAIN
7 x 64 CINESHOT	241 29 65	9,0g / 139gr
.308 CINESHOT	241 29 67	9,5g / 147gr
.30-06 CINESHOT	241 29 62	9,5g / 147gr
.300 Win. Mag. CINESHOT	241 29 63	9,5g / 147gr
8 x 57 JS CINESHOT	241 29 64	12,1g / 187gr
9,3 x 62 CINESHOT	241 29 66	12,7g / 196gr

Manufacturer: RWS GmbH / Kronacher Straße 63 / 90765 Fürth / www.rws-technology.com

rws-ammunition.com



Warning - Fire or projection hazard.
The information on the product label must always be followed.



.22 HORNET
Teilmantel Spitz 3,0g

.222 REM.
Match Jagd 3,4g

.223 REM.
Teilmantel Spitz 3,6g

5,6 x 50 MAG.
Teilmantel Spitz 4,1g

5,6 x 50 R MAG.
Teilmantel Spitz 4,1g

5,6 x 52 R
Teilmantel Spitz 4,6g

5,6 x 57
Kegelspitz 4,8g

.243 Win.
Teilmantel Spitz 6,5g

6,5 Creedmoor
Target Elite Plus 8,4g

6,5 x 55 SE
HIT 7,8g

6,5 x 57
Doppelkern 9,1g



.270 Win.
HIT 8,4g

7 x 57
ID Classic 10,5g

7 x 57 R
Evolution Green 8,2g

7mm Rem. Mag.
HIT 9,1g

7 x 64
Speed Tip Professional 9,7g

7 x 65 R
Evolution Green 8,2g

.308 Win.
Driven Hunt 10,7g

.30-06 SHORT RIFLE
Speed Tip Professional 10,7g

.30 R Blaser
UNI Classic 11,7g


.300 Win. Mag.
Doppelkern 10,7g

.300 WSM
Evolution 11,9g

CARTRIDGE PARADE

No Two Calibres Alike

The RWS centerfire rifle cartridge portfolio is huge! Have a look and see if you can find your caliber and whether your favorite bullet is among them. And? How does your calibre perform compared to the others? All cartridges are illustrated at a scale of 1:1.




6,5 x 57 R
Evolution Green 6,0g

6,5 x 65 RWS
Kegelspitz 8,2g

6,5 x 65 R RWS
Kegelspitz 8,2g

6,5 x 68
Evolution Green 6,0g



8 x 57 JS
ID Classic 12,8g

8 x 57 JRS
Evolution 13,0g

8 x 68 S
Speed Tip Professional 11,7g

.338 Lapua Mag.
Speed Tip Professional 16,2g

9,3 x 62 SHORT RIFLE
HIT 16,2g

9,3 x 64
Evolution Green 11,9g

9,3 x 74 R
Evolution Green 11,9g

.375 H&H Mag.
UNI Classic 19,5g

10,3 x 68 Mag.
HIT 13,0g









SUSTAINABILITY IN THE HIGHLANDS

Selective Deer Hunting



The Scottish Highlands with their treeless moors, green hills and rugged rock formations are not only one of the oldest and most beautiful landscapes in Europe, they are also extremely attractive as a hunting destination. Red deer in particular, which are found in large numbers almost everywhere, are hunted here.

In November, the deer in Scotland enjoy the closed season. Thus, the focus is on the fallow deer – mainly old and weak adult animals and the calves that accompany them. Sustainable and humane hunting is very important in the northernmost country of Great Britain. The decision as to which animal should be taken down is up to the experienced professional hunters.

Although the terrain is very open with sparse vegetation, the landscape provides ideal cover for the game. Traditionally, only stalking is used – there is no high-seat hunting in the Highlands – and it is not uncommon for larger shooting distances needing to be bridged. So you need a cartridge with which exact, precise shots are possible even at long distances and which is characterised by an outstanding instantaneous effect.

Against the background of the trend towards weapons with short barrels and silencers – by the way, silencers have been standard equipment in Scotland for many years – RWS has developed the SHORT RIFLE, which is specially optimised for use with short barrels. Practically speaking, this means that shooting a short-barrelled rifle no longer means giving up long barrel performance. Let the next autumn fallow deer hunt begin. Waidmannsheil!

#rwshunting

RELOADING

Do-It-Yourself is Trending


There are many reasons to load your own ammunition. Reloading saves money, improves accuracy, and enables shooters and hunters to improve their marksmanship.

Handloading, or reloading, i.e. the tailoring of a cartridge to meet your needs, opens completely new horizons and gives keen insights into the world of ballistics. RWS offers first-class components that enable you to fit the cartridge to your exact application. Regardless whether you are a competitive shooter, long range marksman or hunter, RWS makes reloading fun and guarantees the highest level of success.



"Reloading with RWS components means experimenting until you find the very best ballistic performance of a cartridge. This can take a toll on your time and sometimes your nerves! That is why RWS, in addition to producing premium quality components, now increases reloading comfort. The new packaging for RWS premium cases and RWS premium bullets can now be stacked, slide open for easy access and still offer room for personal notes on your loading data. That makes reloading fun."

#reloadingworld



BULLETS

With more than 11 hunting bullet designs and countless others for sporting and government applications, RWS has the widest variety of bullet designs in the world. The manufacture of our specialty bullets involves far more than just joining a jacket with a core. RWS has installed a highly complex machine park in order to manufacture the necessary variety of bullets in outstanding quality. The most modern technology enables the optimal formation of bullet surface and core, while at the same time every manufacturing step is inspected for adherence to tolerances.

CASES

The case is the heart of the cartridge. Dimensional accuracy, safety and reloadability are only a few of the criteria that the conscientious reloader should demand from a case in order to achieve maximum performance. RWS cases offer all that and more. The tightest of tolerances, constant quality assurance during manufacture and the highest expectations from ourselves make RWS cases the best in the world. This is reflected in the large number of times a case can be reloaded. With RWS cases, reloading is not only fun but saves money as well.

PROPELLANT

RWS offers an appropriate powder for every application. Whether it is fast- or slow-burning powder, RWS cooperates closely with renowned propellant manufacturers to offer a suitable powder for every application. We devote special attention to testing every powder lot in our own chemical laboratory to guarantee the highest possible quality.

PRIMERS

The primer is the smallest and most unremarkable component in the entire ammunition system. Yet it earns our very special attention since, without the primer, nothing happens. Primers are produced in an extremely modern manufacturing facility. The primer is formulated to such a fine sensitivity that ignition with a suitably deep and centered firing pin impact is a 100% certainty. For a guaranteed ignition.

The RWS reloading manual has been digitized and contains practical tips and up-to-date load data. You can find it at www.rws-ammunition.com/reloading (German language only).

THE FORMATION OF A CASE

Centerfire rifle cartridge cases must endure pressures of up to 7000 bar and are considered by experts to be life insurance for the shooter. In order for you to always remain on the safe side, we have developed the most demanding test in the industry.





CASES

CALIBRE	ITEM NUMBER	PCS. / PACKAGE
.222 Rem.	241 27 01	200
.223 Rem.	241 27 02	200
5,6 x 52 R	243 19 82	100
5,6 x 52 R Mag.	243 19 83	100
5,6 x 57	242 51 98	100
6,5 Creedmoor	243 07 30	100
6,5 x 55 SE	241 23 55	100
6,5 x 57	241 23 54	100
6,5 x 57 R	241 23 56	100
6,5 x 68	243 27 44	100
.243 Win.	241 23 70	100
.270 Win.	241 23 71	100
7 x 57	241 26 99	100
7 x 57 R	241 27 00	100
7 x 64	241 23 75	100
7 x 65 R	241 23 76	100
7mm Rem. Mag.	243 27 45	100
.30-06 Springfield	241 26 97	100
.30-06 Springfield NICKEL	241 69 93	100
.308 Win.	241 23 72	100
.308 Win. NICKEL	241 69 94	100
.30 R Blaser	243 27 46	100
.300 Win. Mag.	243 27 50	100
8 x 57 JS	241 23 78	100
8 x 57 JRS	241 23 79	100
8 x 68 S	243 27 47	100
9,3 x 62	241 23 82	100
9,3 x 64	242 52 30	50
9,3 x 74 R	242 52 31	50
.375 H&H Mag.	243 27 48	50
.338 Lap. Mag.	242 52 28	50

BULLETS

Complete range for reloaders: Premium cases, primers, propellant powder and a large selection of premium hunting and sports bullets







CALIBRE	ITEM NUMBER	GRAMMS / GRAINS	DIAMETER
CALIBRE 5,6 mm			
MATCH JAGD 100 / 1000 St.	214 57 82 / 214 68 43	3,0g / 46gr	.224
SCORION	231 33 43	3,4g / 52gr	.224
TEILMANTEL SPITZ	214 59 60	3,6g / 55gr	.224
TEILMANTEL SPITZ	214 57 90	4,1g / 63gr	.224
SCORION	242 16 39	4,5g / 69gr	.224
KEGELSPITZ	214 62 31	4,8g / 74gr	.224
TEILMANTEL SPITZ	214 56 42	4,6g / 71gr	.228
CALIBRE 6,5 mm			
EVOLUTION GREEN ●	240 74 46	6,0g / 93gr	.264
HIT ●	243 41 15	7,8g / 120gr	.264
KEGELSPITZ	214 64 60	8,2g / 127gr	.264
SCORION	241 86 00	8,4g / 130gr	.264
DOPPELKERN	231 14 63	9,1g / 140gr	.264
SPEED TIP PROFESSIONAL	242 37 41	9,1g / 140gr	.264
SCORION	242 66 60	9,3g / 143gr	.264
CALIBRE 7 mm			
KEGELSPITZ	214 62 90	8,0g / 123gr	.284
EVOLUTION GREEN ●	231 85 20	8,2g / 127gr	.284
HIT ●	243 41 16	8,4g / 130gr	.284
SPEED TIP PROFESSIONAL	241 10 37	9,7g / 150gr	.284
EVOLUTION	231 59 60	10,3g / 159gr	.284
KEGELSPITZ	214 62 58	10,5g / 162gr	.284
ID CLASSIC	214 55 29	10,5g / 162gr	.284
ID CLASSIC	214 55 37	11,5g / 177gr	.284
CALIBRE .270			
EVOLUTION GREEN ●	241 69 60	6,2g / 96gr	.277
SPEED TIP PROFESSIONAL	241 69 67	9,1g / 140gr	.277
EVOLUTION GREEN ●	241 69 59	10,0g / 154gr	.277
CALIBRE 7,62 mm / .30			
EVOLUTION GREEN ●	241 81 19	9,0g / 139gr	.308
HIT ●	242 27 91	9,7g / 150gr	.308

CALIBRE	ITEM NUMBER	GRAMMS / GRAINS	DIAMETER
CALIBRE 7,62 mm / .30			
KEGELSPITZ	214 63 04	9,7g / 150gr	.308
ID CLASSIC	214 54 80	9,7g / 150gr	.308
SCORION	241 85 98	10,0g / 155gr	.308
SPEED TIP PROFESSIONAL	241 10 35	10,7g / 165gr	.308
KEGELSPITZ	214 63 71	10,7g / 165gr	.308
DOPPELKERN	214 60 45	10,7g / 165gr	.308
SCORION	241 69 66	10,9g / 168gr	.308
SCORION	241 85 99	11,3g / 175gr	.308
UNI CLASSIC	214 54 99	11,7g / 180gr	.308
EVOLUTION	231 59 59	11,9g / 184gr	.308
SCORION	242 14 64	12,3g / 190gr	.308
CALIBRE 8 mm S			
EVOLUTION GREEN ●	231 85 22	9,0g / 139gr	.323
HIT ●	242 68 76	10,4g / 160gr	.323
SPEED TIP PROFESSIONAL	241 69 62	11,7g / 180gr	.323
KEGELSPITZ	214 64 44	11,7g / 180gr	.323
ID CLASSIC	214 55 10	12,8g / 198gr	.323
EVOLUTION	231 74 11	13,0g / 200gr	.323
CALIBRE 8,6 mm			
SPEED TIP PROFESSIONAL	241 10 38	16,2g / 250gr	.338
SCORION	242 14 66	16,2g / 250gr	.338
CALIBRE 9,3 mm			
EVOLUTION GREEN ●	231 85 23	11,9g / 184gr	.366
DOPPELKERN	214 60 02	14,6g / 226gr	.366
KEGELSPITZ	214 64 52	16,0g / 247gr	.366
HIT ●	242 68 78	16,2g / 250gr	.366
TEILMANTEL RUND	214 57 74	18,5g / 285gr	.366
EVOLUTION	231 74 12	18,8g / 291gr	.366
UNI CLASSIC	214 55 02	19,0g / 293gr	.366
CALIBRE 10,3 mm			
HIT ●	241 69 65	13,0g / 200gr	.413

● = lead-free

QUALITY IS NO COINCIDENCE

Our Bullets



Simulated wound cavity in gelatin block / bullet performance in gelatin

RWS is the only important manufacturer of rifle cartridges that makes its own hunting bullets. For this, we draw upon our specialized knowledge base, which has continually advanced over the past centuries. Making our specialty bullets is far more involved than just putting a core into a jacket. Our highly complex and modern machines assure the optimal shape of the bullet surface and core.

Last but not least, it is our tight quality control when making bullets into cartridges that ensures that the strict RWS test specifications guarantee the extraordinary accuracy and absolute reliability of our bullets.
In addition, we perform test firings into gelatin blocks whose density most closely simulates that of muscle tissue in game animals. These gelatin tests reveal exactly how our bullets transfer their energy to the game animal.

Only when our high standards are 100% met by these test results do we test these bullets on actual wild game. Afterwards, the game is evaluated so that the internal, external and terminal ballistic effects of the bullet can be judged precisely.

High-speed motion pictures of test firings at rws-munition.de dramatically demonstrate the effectiveness of our specialty bullets.



Expanding bullet (e.g. Evolution)



Partially fragmenting bullet (e.g. SPEED TIP PROFESSIONAL)



EXPANDING BULLET

An expanding bullet mushrooms upon contact with the game animal and retains a stable mass. It is designed so that it hardly loses any weight in the animal's body. Take the EVOLUTION, for example: Its effects are achieved mainly through uniform enlargement of the bullet's frontal area and its subsequent retained weight.

PARTIALLY FRAGMENTING BULLET

Partially fragmenting bullets are designed for controlled fragmentation that leaves a defined slug behind for penetration. One example of this is the DOPPELKERN: This partially fragmenting bullet has a retained weight of 60%. Semi-jacketed soft point bullets like the KEGELSPITZ and TEILMANTEL are also partially fragmenting bullets whereby the retained weight varies slightly depending on the target's resistance and the bullet's impact velocity. The function of these types of bullets is based on the controlled fragmentation of the bullet and a defined retained slug that causes mechanical destruction of the organs. The base drag of the slug draws most of the front core fragments though the animal's body upon exit.

FULL METAL JACKET

The full metal jacket bullet is a dimensionally and mass-stable bullet. It does not fragment and deforms only slightly depending on the target resistance. Full metal jacket bullets are rarely used in hunting, e.g. when hunting large game with large diameters. As a rule, full metal jacket bullets are only used for sporting purposes.

THIS IS HOW YOU CAN REACH US

CONTACT INFORMATION

GERMANY
RWS GmbH
Kronacher Straße 63
90765 Fürth
Telefon +49 911 79300
Fax +49 911 7930 507

Find out about our Beretta Holding Group companies and distribution partners worldwide:

LOCAL DISTRIBUTION BY:

ADDITIONAL INFORMATION

RWS-AMMUNITION.COM

The RWS website offers a great overview on all topics surrounding the RWS brand world. Explore information on proven product, read hot news and discover the RWS shop (Germany only).

RWS HUNTING & SPORT

The RWS YouTube channel features a large variety of RWS brand and product videos. Passionate hunters and sport shooters will find interesting and entertaining information covering the RWS brand world as well as its large portfolio of proven loads.

RWS HUNTING

The RWS Facebook account provides an inspiring range of information and impressions surrounding the RWS world of hunting. A great and constantly updated source to experience the uniqueness of the wide RWS offer.

rwshunting

Another great source of inspiration for hunters around the globe: the RWS Hunting Instagram channel. Here's the place to find out what makes the brand so special and appealing for hunting aficionados. We are proud of our extraordinarily creative community.

NEWS, DEALS, STORIES & MORE

RWS NEWSLETTER

The RWS newsletter delivers hot news and information first hand. A great way to keep up to date on relevant seasonal topics and continuous RWS innovations. Just scan the QR code and register for it!

Driven Hunt

Mountain Hunting

Long Range

Training

Hunting Stories

Vension Recipes

Information & Production



RWS-AMMUNITION.COM

RWS®, RWS bullet names and logos are registered trademarks.

2026 | 231 62 94